

Vishay

FREE

GREEN

(5-2008)

Surface Mount Multilayer Ceramic Chip Capacitors for Ultra High Q Commodity Applications



FEATURES

- Ultra stable class 1 dielectric
- · Ultra high Q and low ESR at high frequency
- · Four standard sizes
- High SRF characteristic
- Ultra low capacitance to 0.1 pF
- High precision capacitance tolerance ± 0.05 pF
- Supplied in tape on reel
- Ni-barrier with 100 % tin terminations
- Dry sheet manufacturing technology
- Base Metal Electrode system (BME)
- Material categorization: for definitions of compliance please see <u>www.vishay.com/doc?99912</u>

APPLICATIONS

- Mobile telecommunication
- WLAN
- RF modules
- Tuner

ELECTRICAL SPECIFICATIONS

Note

 Electrical characteristics at 25 °C, 30 % to 70 % related humidity, unless otherwise specified

Operating Temperature: - 55 °C to + 125 °C

Capacitance Range: 0.1 pF to 100 pF

Voltage Range: 10 V_{DC} to 250 V_{DC}

Temperature Coefficient of Capacitance (TCC):

0 ppm/°C \pm 30 ppm/°C from - 55 °C to + 125 °C

 $0201: \ge 22 \text{ pF}: 0 \text{ ppm/°C} \pm 60 \text{ ppm/°C from - } 55 \text{ °C to + } 125 \text{ °C}$

Dissipation Factor:

Cap < 30 pF: Q \ge 400 + 20 C Cap \ge 30 pF: Q \ge 1000

Test Conditions for Capacitance and DF Measurement:

Cap. \leq 1000 pF 1.0 V_{RMS} \pm 0.2 $V_{RMS},$ 1 MHz \pm 10 % Cap. > 1000 pF 1.0 V_{RMS} \pm 0.2 $V_{RMS},$ 1 kHz \pm 10 %

Aging Rate: 0 % maximum per decade

Insulation Resistance (IR): after 120 s at U_R (DC) \geq 10 G Ω or R x C \geq 500 Ω x F whichever is less

Dielectric Strength Test:

This is the maximum voltage the capacitors are tested for 1 s to 5 s period and the charge/discharge current does not exceed 50 mA

 \leq 100 $V_{DC}\!\!:$ DWV at 250 % of rated voltage 250 $V_{DC}\!\!:$ DWV at 200 % of rated voltage




Vishay

QUICK REFERENCE DATA							
DIELECTRIC	CASE	MAXIMUM VOLTAGE	CAPACITANCE				
	CASE	(V)	MINIMUM	MAXIMUM			
Ultra High Q	0201	50	0.1 pF	33 pF			
	0402	100	0.1 pF	22 pF			
	0603	250	0.3 pF	47 pF			
	0805	250	0.3 pF	100 pF			

Note

· Detail ratings see "Selection Chart"



Note

(1) Details see "Selection Chart"

DIMENSIONS in inches [millimeters]						
	SIZE CODE	L	w	T MAX.	МВ	
	0201	0.024 ± 0.0012	0.012 ± 0.0012	0.013	0.006 ± 0.002	
	(0603)	(0.60 ± 0.03)	(0.30 ± 0.03)	(0.33)	(0.15 ± 0.05)	
W	0402	0.040 ± 0.002	0.020 ± 0.002	0.022	0.010 + 0.002/- 0.004	
	(1005)	(1.00 ± 0.05)	(0.50 ± 0.05)	(0.55)	(0.25 + 0.05/- 0.10)	
→ MB ← → MB ←	0603	0.063 ± 0.004	0.030 ± 0.004	0.035	0.015 ± 0.006	
	(1608)	(1.60 ± 0.10)	(0.80 ± 0.10)	(0.87)	(0.40 ± 0.15)	
	0805	0.080 ± 0.008	0.050 ± 0.008	0.038	0.020 ± 0.008	
	(2012)	(2.00 ± 0.20)	(1.25 ± 0.20)	(0.95)	(0.50 ± 0.20)	



Vishay

SELECTIO	ON CHAR	T											
DIELECTRIC													
STYLE			VJ0201		VJ0	1402		VJ0603		VJ0805			
SIZE CODE			0201		0402		0603		0805				
VOLTAGE V _{DC}		10 V	25 V	50 V	50 V	100 V	50 V	100 V	250 V	50 V	100 V	250 V	TOLERANCE
VOLTAGE CO	DDE	Q	X	Α	Α	В	Α	В	Р	Α	В	Р	
CAP. CODE	CAP.												
0R1	0.1 pF	L	L		N	N							В
0R2	0.2 pF	L	L		N	N							V, B
0R3	0.3 pF	L	L		N	N	S	S	S	Т	Т	Т	V, B
0R4	0.4 pF	L	L		N	N	S	S	S	Т	Т	Т	V, B
0R5	0.5 pF	L	L		N	N	S	S	S	Т	Т	Т	V, B, C
0R6	0.6 pF	L	L		N	N	S	S	S	Т	Т	Т	V, B, C
0R7	0.7 pF	L	L		N	N	S	S	S	T	T	T	V, B, C
0R8	0.8 pF	L	L		N	N	S	S	S	Т	Т	Т	V, B, C
0R9	0.9 pF	L	L		N	N	S	S	S	Т	Т	Т	V, B, C
1R0	1.0 pF	L	L	L	N	N	S	S	S	Т	Т	Т	V, B, C
1R2	1.2 pF	L	L		N	N	S	S	S	Т	Т	Т	V, B, C
1R5	1.5 pF	L	L	L	N	N	S	S	S	Т	Т	Т	V, B, C
1R8	1.8 pF	L	L		N	N	S	S	S	Т	Т	Т	V, B, C
2R2	2.2 pF	L	L	L	N	N	S	S	S	Т	Т	Т	V, B, C
2R4	2.4 pF								S				V, B, C
2R7	2.7 pF	L	L		N	N	S	S	S	Т	Т	Т	V, B, C
3R3	3.3 pF	L	L	L	N	N	S	S	S	Т	Т	Т	V, B, C
3R9	3.9 pF	L	L		N	N	S	S	S	Т	Т	Т	V, B, C
4R7	4.7 pF	L	L	L	N	N	S	S	S	Т	Т	Т	V, B, C
5R6	5.6 pF	L	L		N	N	S	S	S	Т	Т	Т	B, C, D
6R8	6.8 pF	L	L	L	N	N	S	S	S	Т	Т	Т	B, C, D
8R2	8.2 pF	L	L		N	N	S	S	S	Т	Т	Т	B, C, D
100	10 pF	L	L	L	N	N	S	S	S	Т	Т	Т	F, G, J
110	11 pF	L	L		N		S	S	S	Т	Т	Т	F, G, J
120	12 pF	L	L		N		S	S	S	Т	Т	Т	F, G, J
130	13 pF	L	L		N		S	S	S	Т	Т	Т	F, G, J
150	15 pF	L	L	L	N	1	S	S	S	Т	Т	Т	F, G, J
160	16 pF	L	L		N	1	S	S	S	Т	Т	Т	F, G, J
180	18 pF	L	L		N	1	S	S	S	Т	Т	Т	F, G, J
200	20 pF	L			N	1	S	S	S	Т	Т	Т	F, G, J
220	22 pF	L	L		N	1	S	S	S	Т	Т	Т	F, G, J
240	24 pF	L				1	S	S	S	Т	Т	Т	F, G, J
270	27 pF	L				1	S	S	S	Т	Т	Т	F, G, J
300	30 pF	L				1	S	S	S	Т	Т	Т	F, G, J
330	33 pF	L	L			1	S	S	S	Т	Т	Т	F, G, J
360	36 pF	1				1	S	S	S	Т	Т	Т	F, G, J
390	39 pF	1				1	S	S	S	Т	Т	Т	F, G, J
430	43 pF	1				1	S	S	S	Т	Т	Т	F, G, J
470	47 pF	1					S	S	S	T	T	T	F, G, J
560	56 pF							_	<u> </u>	T	T	T	F, G, J
680	68 pF	<u> </u>				<u> </u>			<u> </u>	T	T	T	F, G, J
820	82 pF	<u> </u>				<u> </u>			<u> </u>	T	T	T	F, G, J
101	100 pF									T	T	T	F, G, J

Note


· Letters indicate product thickness, see "Packaging Quantities"



Vishay


PACKAGING QUANTITIES							
SIZE CODE	THICKNESS	THICKNESS	PAPER TAPE				
(inch/mm)	(mm)	SYMBOL	7" REEL (C)	13" REEL (P)			
0201 (0603)	0.30 ± 0.03	L	15K	-			
0402 (1002)	0.50 ± 0.05	N	10K	50K			
0603 (1608)	0.80 ± 0.07	S	4K	15K			
0805 (2012)	0.85 ± 0.10	Т	4K	15K			

PAPER TAPE SPECIFICATION




	DIMENSIONS OF PAPER TAPE in millimeters								
SYM.		PRODUCT SIZE CODE							
STIVI.	0201	0402	0603	0805					
A ₀	0.37 ± 0.03	0.62 ± 0.05	1.02 ± 0.05	1.50 ± 0.10					
B ₀	0.67 ± 0.03	1.12 ± 0.05	1.82 ± 0.05	2.30 ± 0.10					
W	8.00 ± 0.10	8.00 ± 0.10	8.00 ± 0.10	8.00 ± 0.10					
Е	1.75 ± 0.05	1.75 ± 0.05	1.75 ± 0.05	1.75 ± 0.05					
F	3.50 ± 0.05	3.50 ± 0.05	3.50 ± 0.05	3.50 ± 0.05					
D ₀	1.55 ± 0.05	1.55 ± 0.05	1.55 ± 0.05	1.55 ± 0.05					
P ₀	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10					
P ₁	2.00 ± 0.05	2.00 ± 0.05	4.00 ± 0.10	4.00 ± 0.10					
P ₂	2.00 ± 0.05	2.00 ± 0.05	2.00 ± 0.05	2.00 ± 0.05					

REEL SPECIFICATIONS



REEL DIMENSIONS AND TAPE WIDTH in millimeters						
SYM.	Ø 180 mm; 7" Ø 330 mm; 13"					
Α	13.0 ± 0.5	13.0 ± 0.5				
В	9.0 ± 1.0	9.0 ± 1.0				
С	178.0 ± 1.0	330.0 ± 1.0				
D	60.0 ± 1.0	100.0 ± 1.0				

Vishay




VJ....W1BC Ultra High Q/Low ESR

www.vishay.com

Vishay

CONSTRUCTION						
NO.	NA	ME	ULTRA HIGH Q			
1	Ceramic	material	BaTiO ₃ based			
2	Inner el	ectrode	Cu			
3		Inner layer	Cu			
4	Termination	Middle layer	Ni			
5		Outer layer	Sn (matt)			



STORAGE AND HANDLING CONDITIONS

- (1) To store products at 5 °C to 40 °C ambient temperature and 20 % to 70 % related humidity conditions.
- (2) The product is recommended to be used within one year after shipment. Check solderability in case of shelf life extension is needed.

Cautions:

- a. Do not store products in a corrosive environment such as sulfide, chloride gas, or acid. It may cause oxidization of electrode, which easily be resulted in poor soldering.
- b. To store products on the shelf and avoid exposure to moisture.
- c. Do not expose products to excessive shock, vibration, direct sunlight and so on.



Legal Disclaimer Notice

Vishay

Disclaimer

ALL PRODUCT, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any datasheet or in any other disclosure relating to any product.

Vishay makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product. To the maximum extent permitted by applicable law, Vishay disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Statements regarding the suitability of products for certain types of applications are based on Vishay's knowledge of typical requirements that are often placed on Vishay products in generic applications. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. Parameters provided in datasheets and / or specifications may vary in different applications and performance may vary over time. All operating parameters, including typical parameters, must be validated for each customer application by the customer's technical experts. Product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein.

Hyperlinks included in this datasheet may direct users to third-party websites. These links are provided as a convenience and for informational purposes only. Inclusion of these hyperlinks does not constitute an endorsement or an approval by Vishay of any of the products, services or opinions of the corporation, organization or individual associated with the third-party website. Vishay disclaims any and all liability and bears no responsibility for the accuracy, legality or content of the third-party website or for that of subsequent links.

Except as expressly indicated in writing, Vishay products are not designed for use in medical, life-saving, or life-sustaining applications or for any other application in which the failure of the Vishay product could result in personal injury or death. Customers using or selling Vishay products not expressly indicated for use in such applications do so at their own risk. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay. Product names and markings noted herein may be trademarks of their respective owners.