


Automotive Temperature Dependent Platinum Thin Film Chip Resistor (RTD)



LINKS TO ADDITIONAL RESOURCES








PTS AT SMD flat chip temperature dependent resistors are the perfect choice for temperature control of electronics operating under varying environmental conditions. The highly controlled platinum thin film manufacturing process guarantees an outstanding stability of temperature characteristics which ensures reliable operation even under harsh conditions. Typical applications include automotive, aviation and industrial electronics.

FEATURES





- AEC-Q200 qualified
- Short reaction times down to $t_{0.9} \le 2$ s (in air)
- Outstanding stability of temperature characteristic
- ROHS COMPLIANT HALOGEN FREE
- Superior temperature cycling robustness
- Material categorization: for definitions of compliance please see <u>www.vishay.com/doc?99912</u>

APPLICATIONS

Temperature measurement and control in

- Automotive electronics
- Aviation electronics
- Industrial electronics

TECHNICAL SPECIFICAT	IONS							
DESCRIPTION		PTS0603M	PTS0805M	PTS1206M				
Resistance values R ₀ at 0 °C		100 Ω	100 Ω, 500 Ω	100 Ω, 500 Ω, 1000 Ω				
Temperature coefficient (0 °C to +10	00 °C), IEC60751		+3850 ppm/K					
Tolerance classes		F0.3, F0.6						
Temperature range			-55 °C to +175 °C					
Long term stability $ \Delta R_0/R_0 $; R_0 change after 1000 h at +155 °C		≤ 0.1 %						
Insulation resistance		> 10 MΩ						
	100 Ω	0.1 mA to 0.50 mA	0.1 mA to 1.0 mA	0.1 mA to 1.0 mA				
Measurement current I _{meas.} (DC) ⁽¹⁾	500 Ω	-	0.1 mA to 0.40 mA	0.1 mA to 0.40 mA				
	1000 Ω	-	-	0.1 mA to 0.25 mA				
Self-heating at 0 °C (2) Calm air $(v = 0.0 \text{ m/s})$		≤ 0.9 K/mW	≤ 0.8 K/mW	≤ 0.7 K/mW				
	Flowing water	<i>t</i> _{0.5} ≤ 0.1 s	<i>t</i> _{0.5} ≤ 0.2 s	$t_{0.5} \le 0.3 \text{ s}$				
They mad year area time (2)	(v = 0.4 m/s)	$t_{0.9} \le 0.2 \text{ s}$	$t_{0.9} \le 0.3 \text{ s}$	$t_{0.9} \le 0.4 \text{ s}$				
Thermal response time (2)	Flowing air (v = 3.0 m/s)	<i>t</i> _{0.5} ≤ 1.0 s	t _{0.5} ≤ 1.5 s	<i>t</i> _{0.5} ≤ 2.0 s				
		<i>t</i> _{0.9} ≤ 2.0 s	<i>t</i> _{0.9} ≤ 3.0 s	<i>t</i> _{0.9} ≤ 5.0 s				
Failure rate: FIT _{observed}		≤ 0.1 x 10 ⁻⁹ /h						


Notes

⁽¹⁾ Indicated measurement currents can be applied continuously with self-heating effect of less then 0.1 °C

⁽²⁾ Valid for sensor element only, in low dissipative mode. Response time and self-heating are influenced by mounting materials as substrate, solder lands, tracks and solders used




DIMENSIONS in millimeters



DIMENSIONS AND MASS									
TYPE	Н	L	w	W_{T}	T _t	T _b	MASS (mg)		
PTS 0603	0.45 + 0.1/- 0.05	1.55 +0.05 / -0.1	0.85 ± 0.1	> 75 % of W	0.3 + 0.15/- 0.2	0.3 + 0.15/- 0.2	1.9		
PTS 0805	0.45 + 0.1 / - 0.05	2.0 ± 0.1	1.25 ± 0.15	> 75 % of W	0.4 ± 0.2	0.4 ± 0.2	4.6		
PTS 1206	0.55 ± 0.1	3.1 + 0.1 / - 0.2	1.6 ± 0.15	> 75 % of W	0.5 ± 0.25	0.5 ± 0.25	9.2		

SOLDER PAD DIMENSIONS in millimeters



RECOMMENDED SOLDERPAD DIMENSIONS								
TYPE WAVE SOLDERING REFLOW SOLI						OLDERING	.DERING	
ITPE	G Y X Z				G	Y	Х	Z
PTS 0603	0.55	1.1	1.1	2.75	0.65	0.7	0.95	2.05
PTS 0805	0.8	1.25	1.50	3.2	0.9	0.9	1.4	2.7
PTS 1206	1.4	1.5	1.9	4.4	1.5	1.15	1.75	3.8

DESCRIPTION

A homogeneous film of platinum is deposited on a high grade (Al_2O_3) ceramic substrate and conditioned to achieve the correct temperature coefficient and stability. The sensor-elements are covered by a protective coating designed for electrical, mechanical and climatic protection. The terminations receive a final pure matte tin on nickel plating, the immunity against tin whisker growth has been proven under extensive testing.

QUALITY

The result of the determined production is verified by an extensive testing procedure and optical inspection performed on 100 % of the individual sensors. Only accepted products are laid directly into the paper tape in accordance with IEC 60286-3.

STORAGE

Solderability is specified for 2 years after production or re-qualification. The permitted storage time is 20 years.

ASSEMBLY

The Pt-sensors are suitable for processing on automatic SMD assembly systems. They are suitable for automatic soldering using wave, reflow or vapour phase as shown in IEC61760-1. The encapsulation is resistant to all cleaning solvents commonly used in the electronics industry,

including alcohols, esters and aqueous solutions. The suitability of conformal coatings, if applied, shall be qualified by appropriate means to ensure the long-term stability of the whole system. The use of potting resins in close contact with the protective coating or terminations is not recommended.

For frequent high temperature usage, thermal compatible substrates and solder alloys should be selected to minimize any thermal mismatch.

All products comply with the CEFIC-EECA-EICTA list of legal restrictions on hazardous substances.

This includes full compatibility with the following directives:

- 2000/53/EC End of Life Vehicle Directive (ELV) and Annex II (ELV II)
- 2011/65/EU Restriction of the use of Hazardous Substances Directive (RoHS)
- 2002/96/EC Waste Electrical and Electronic Equipment Directive (WEEE)


APPROVALS

The Pt-sensors are tested in accordance with

- IEC 60751
- IEC 60068 series

The PTS AT are AEC-Q200 qualified.





Notes

- (1) Products can be ordered using either the PART NUMBER or the PRODUCT DESCRIPTION
- (2) The part number is shown to facilitate the introduction of a unified part numbering system
- (3) Please refer to table PACKAGING
- (4) We recommend that the Production Description is used to minimize the possibility of errors in order handling

PACKAGING									
TYPE	CODE	QUANTITY	CARRIER TAPE	WIDTH	PITCH	BOX/REEL	BOX/REEL DIAMETER		
PTS 0603	PU	100	Paper tape acc. IEC 60286-3 8 mm				Plastic box	114 mm	
PTS 0805	P1	1000		8 mm	4 mm	Reel	180 mm/7"		
PTS 1206	P5	5000			neel	100 11111/7			

TEST AND REQUIREMENTS - PERFORMANCE							
TEST	CONDITIONS	REQUIREMENTS	TYPICAL PERFORMANCE				
IESI	CONDITIONS	$ \Delta R_0/R_0 \leq \pm$	$ \Delta R_0/R_0 \le \pm$	$\Delta T \leq \pm$			
High temperature exposure (storage)	AEC-Q200, 1000 h at 155 °C	0.1 %	0.015 %	0.04 °C			
High temperature exposure (storage)	1000 h at 175 °C	0.2 %	0.018 %	0.05 °C			
Temperature cycling	AEC-Q200, 1000 cycles -55 °C to +155 °C	0.5 %	0.04 %	0.10 °C			
Biased humidity	1000 h, 1 mA biased at 85 °C / 85 % rh	0.5 %	0.015 %	0.04 °C			
Operational life	1000 h, 1 mA biased at 125 °C	0.2 %	0.01 %	0.03 °C			
Vibration	MIL-STD 202, method 204	0.1 %	0.02 %	0.05 °C			
Mechanical shock	MIL-STD 202, method 213	0.1 %	0.02 %	0.05 °C			
Resistance to soldering heat	Solder bath dipping 10 s at 260°C	0.25 %	0.05 %	0.13 °C			
ESD	AEC-Q200-002, HBM (CD) 1.0 kV (0603), 1.5 kV (0805), 2.0 kV (1206)	0.2 %	0.01 %	0.03 °C			
Board flex	AEC-Q200-005, 2 mm during 60 s	0.2 %	0.015 %	0.04 °C			
Terminal strength	AEC-Q200-006, shear test 10 N / 17.7 N during 60 s	0.25 %	0.018 %	0.05 °C			



Vishay Beyschlag

FUNCTIONAL PERFORMANCE

The temperature resistance relationships of the PTS series follow different equations:

For the temperature range of -55 °C up to 0 °C:

$$R_T = R_0 \times (1 + A \times T + B \times T^2 + C \times (T - 100 \,^{\circ}C) \times T^3)$$

And for the temperature range of 0 °C up to +175 °C:

$$R_T = R_0 \times (1 + A \times T + B \times T^2)$$

 R_{T} : resistance as a function of temperature

R₀: nominal resistance value at 0 °C

T: temperature in °C

According to IEC 60751 the values of the coefficients are:

$$A = 3.9083 \times 10^{-3} \, ^{\circ}\text{C}^{-1}$$

$$B = -5.775 \times 10^{-7} \, ^{\circ}\text{C}^{-2}$$


$$C = -4.183 \times 10^{-12} \, {}^{\circ}C^{-4}$$

The tolerances values of the PTS AT series are classified by the following equations as specified by IEC 60751:


Class F0.3:
$$\Delta T_{\text{F0.3}} = \pm (0.3 + 0.005 \times |T|)$$

Class F0.6:
$$\Delta T_{\text{F0.6}} = \pm (0.6 + 0.010 \times |T|)$$

NOMINAL RESISTANCE VALUES AND TEMPERATURE TOLERANCE								
TEMPERATURE	NO	MINAL RESISTANCE	TOLERANCE in K					
in °C	$R_0 = 100 \Omega$	$R_0 = 500 \Omega$	$R_0 = 1000 \Omega$	CLASS F0.3	CLASS F0.6			
-55	78.319	391.59	783.19	± 0.58	± 1.15			
-50	80.306	401.53	803.06	± 0.55	± 1.10			
-25	90.192	450.96	901.92	± 0.43	± 0.85			
0	100.00	500.00	1000.00	± 0.30	± 0.60			
25	109.73	548.67	1097.35	± 0.43	± 0.85			
50	119.40	596.99	1193.97	± 0.55	± 1.10			
75	128.99	644.94	1289.87	± 0.68	± 1.35			
100	138.51	692.53	1385.06	± 0.80	± 1.60			
125	147.95	739.76	1479.51	± 0.93	± 1.85			
150	157.33	786.63	1573.25	± 1.05	± 2.10			
175	166.63	833.13	1666.27	± 1.18	± 2.35			



Temperature in °C





Legal Disclaimer Notice

Vishay

Disclaimer

ALL PRODUCT, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any datasheet or in any other disclosure relating to any product.

Vishay makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product. To the maximum extent permitted by applicable law, Vishay disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Statements regarding the suitability of products for certain types of applications are based on Vishay's knowledge of typical requirements that are often placed on Vishay products in generic applications. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. Parameters provided in datasheets and / or specifications may vary in different applications and performance may vary over time. All operating parameters, including typical parameters, must be validated for each customer application by the customer's technical experts. Product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein.

Hyperlinks included in this datasheet may direct users to third-party websites. These links are provided as a convenience and for informational purposes only. Inclusion of these hyperlinks does not constitute an endorsement or an approval by Vishay of any of the products, services or opinions of the corporation, organization or individual associated with the third-party website. Vishay disclaims any and all liability and bears no responsibility for the accuracy, legality or content of the third-party website or for that of subsequent links.

Vishay products are not designed for use in life-saving or life-sustaining applications or any application in which the failure of the Vishay product could result in personal injury or death unless specifically qualified in writing by Vishay. Customers using or selling Vishay products not expressly indicated for use in such applications do so at their own risk. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay. Product names and markings noted herein may be trademarks of their respective owners.