


Vishay BCcomponents

EMI Suppression Safety Capacitor, Ceramic Disc, Class X1, 760 V_{AC} , Class Y1, 500 V_{AC}



LINKS TO ADDITIONAL RESOURCES



QUICK REFERENCE DATA			
DESCRIPTION	VALUE		
Ceramic class	2		
Ceramic dielectric	Y5U		
Voltage (V _{AC})	500 760		
Min. capacitance (pF)	470		
Max. capacitance (pF)	4700		
Mounting	Surface-mount (reflow soldering)		

OPERATING TEMPERATURE RANGE

-55 °C to +125 °C

TEMPERATURE CHARACTERISTICS

Y5U

SECTIONAL SPECIFICATIONS

Climatic category (according to EN 60058-1) Class 2: 55 / 125 / 21

MOLDING

According to UL 94 V-0 Epoxy resin, isolating, flame retardant Halogen-free Reinforced insulation Moisture sensitivity level: MSL 2a

APPROVALS

IEC 60384-14 UL 60384-14 DIN EN 60384-14 CSA E60384-1:14, CSA E60384-14:14 CQC11-471112-2015

FEATURES

- AEC-Q200 qualification planned for Q1/2025
- Complying with IEC 60384-14
- Humidity class IIB annex I achieved
- Singlelayer AC disc safety capacitors
- Mounting: surface-mount
- Material categorization: for definitions of compliance please see <u>www.vishay.com/doc?99912</u>

APPLICATIONS

- X1, Y1 according to IEC 60384-14
- Line-to-line filtering (Class X)
- Line-to-ground filtering (Class Y)
- Primary and secondary coupling (SMPS)
- Industrial and consumer
- EMI / RFI suppression and filtering

DESIGN

The capacitor consists of a ceramic disc which is copper plated on both sides. Encapsulation is made of flame retardant epoxy resin in accordance with UL 94 V-0.

CAPACITANCE RANGE

470 pF to 4700 pF

RATED VOLTAGE UR

IEC 60384-14: (X1): 760 V_{AC}, 50 Hz (Y1): 500 V_{AC}, 50 Hz Annex H: 1500 V_{DC}

TEST VOLTAGE

 $\begin{array}{l} \mbox{Component test (100 \%):} \\ \mbox{4000 } V_{AC}, 50 \mbox{ Hz}, 2 \mbox{ s} \\ \mbox{Random sampling test (destructive test):} \\ \mbox{4000 } V_{AC}, 50 \mbox{ Hz}, 60 \mbox{ s} \\ \mbox{Voltage proof of molding (destructive test):} \\ \mbox{4000 } V_{AC}, 50 \mbox{ Hz}, 60 \mbox{ s} \\ \end{array}$

INSULATION RESISTANCE

≥ 10 000 MΩ

CAPACITANCE TOLERANCE

± 20 % (code M)

DISSIPATION FACTOR

Class 2: max. 2.5 % (1 kHz)

(Þb) (e3)

RoHS COMPLIANT HALOGEN

Revision: 25-Nov-2024


1 For technical questions, contact: <u>cdc@vishay.com</u> Document Number: 28566

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT www.vishav.com/doc?91000



www.vishay.com

Vishay BCcomponents



Note

• For soldering recommendation please see <u>www.vishay.com/doc?28572</u>

TECHNICAL DATA				
CAPACITANCE	TOLERANCE	SIZE CODE	PART NUMBER	
(pF)	(%)	SIZE CODE	MISSING DIGITS SEE ORDERING CODE BELOW	
Y5U				
470		С	SMDY1471MY5UC#	
680		С	SMDY1681MY5UC#	
1000		С	SMDY1102MY5UC#	
1500	± 20	С	SMDY1152MY5UC#	
2200	± 20	D	SMDY1222MY5UD#	
3300		D	SMDY1332MY5UD#	
3900		D	SMDY1392MY5UD#	
4700		D	SMDY1472MY5UD#	

ORDERI	NG CODE					
Example	SMDY1	472	М	Y5U	D	В
	Series	Capacitance value	Tolerance code	Temperature coefficient	Size code	Packaging code
						B = bulk R = tape and reel

PACKAGING			
SIZE CODE	PACKAGING QUANTITIES		
SIZE CODE	BULK	REEL	
С	1000	1000	
D	500	500	


Revision: 25-Nov-2024


Document Number: 28566

For technical questions, contact: <u>cdc@vishay.com</u> THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT <u>www.vishay.com/doc?91000</u> www.vishay.com

ISHAY

Vishay BCcomponents





Revision: 25-Nov-2024

3


Document Number: 28566

For technical questions, contact: <u>cdc@vishay.com</u> THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT <u>www.vishay.com/doc?91000</u>

www.vishay.com

Vishay BCcomponents

APPROVALS				
IEC 60384-14 - Safety tests				
This approval together with CB test certificate s	ubstitutes all national approvals	i.		
CB Certificate (www.vishay.com/doc?22268)				\wedge
Y1-capacitor: CB test certificate:	DE1-63889/A2	470 pF to 4.7 nF	500 V _{AC}	
X1-capacitor: CB test certificate:	DE1-63889/A2	470 pF to 4.7 nF	760 V _{AC}	
VDE (<u>www.vishay.com/doc?22269</u>)				<u>^</u>
Y1-capacitor: VDE marks approval:	40052244	470 pF to 4.7 nF	500 V _{AC}	
X1-capacitor: VDE marks approval:	40052244	470 pF to 4.7 nF	760 V _{AC}	DE
DIN EN 60384-14 (VDE 0565-1-1):2014-04; EN	60384-14:2013-08			
DIN EN 60384-14/A1 (VDE 0565-1-1/A1):2017-0	04; EN 60384-14:2013/A1:2016			
Underwriters Laboratories Inc. / Canadian St	andards Association (<u>www.vis</u>	shay.com/doc?22271)	
Y1-capacitor: CSA test certificate:	E183844	470 pF to 4.7 nF	500 V _{AC}	®
X1-capacitor: CSA test certificate:	E183844	470 pF to 4.7 nF	760 V _{AC}	c FL IIS
UL 60384-14, CSA E60384-1:14, CSA E60384-	14:14			
Fixed capacitors for electromagnetic interference suppression and connection to the supply mains.				
CQC (www.vishay.com/doc?22270)				\frown
Y1-capacitor: CQC test certificate:	CQC20001274917	470 pF to 4.7 nF	500 V _{AC}	$(\cap \cap)$
X1-capacitor: CQC test certificate:	CQC20001274917	470 pF to 4.7 nF	760 V _{AC}	



Note

⁽¹⁾ Identify "XXX" and "t" by the ordering code

PERFORMANCE				
TEST	TEST CONDITION	TEST LIMITS		
Visual and mechanical inspection	Optical inspection, dimensions measured with caliper	No visual damage, marking legible		
Capacitance (C)	25 °C ± 3 °C; RH ≤ 75 %; 1.0 V _{BMS} ± 0.2 V _{BMS} at 1 kHz	Capacitance within specified tolerance		
Dissipation factor (DF)	25 $C \pm 5$ C , $HH \le 75$ %, 1.0 $V_{RMS} \pm 0.2$ V_{RMS} at 1 KHz	DF ≤ 2.5 %		
Insulation resistance (IR)	Measured with 60 s \pm 5 s after charging at 500 V _{DC}	Min. 10 000 MΩ		
Dielectric strength	4000 V _{AC} at 50 Hz / 60 Hz for 1 min 50 mA max.	No failure		
Solderability of termination	Immerse in solder bath for 2 s with 255 $^\circ\text{C}$ \pm 5 $^\circ\text{C}$ after fluxing	95 % of the terminations are to be soldered		
Impulse voltage	3 pulses of 8 kV	No failure		

Revision: 25-Nov-2024

Document Number: 28566



www.vishay.com

SMDY1 Series

Vishay BCcomponents

TEST CONDITION C; 1.5 kV _{AC} at 50 Hz; 1000 h C; 2250 V _{DC} ; 1000 h $+48$ h / -0 h; 40 °C ± 2 °C; 90 % to 95 % RH; AC at 50 Hz $+48$ h / -0 h; 40 °C ± 2 °C; 90 % to 95 % RH; V _{DC} $+48$ h / -0 h; 40 °C ± 2 °C / 90 % to 95 % RH; AC at 50 Hz $+48$ h / -0 h; 85 °C ± 3 °C / 85 % RH; AC at 50 Hz $+48$ h / -0 h; 85 °C ± 3 °C / 85 % RH; AC at 50 Hz	$\begin{tabular}{ c c c c } \hline TEST LIMITS \\ \hline No visual damage \\ \hline \Delta C/C < \pm 15 \% \\ \hline DF \le 5 \% \\ \hline IR \ge 3000 \ M\Omega \\ \hline Dielectric strength: no failure \\ \hline No visual damage \\ \hline \Delta C/C < \pm 15 \% \\ \hline DF \le 5 \% \\ \hline IR \ge 3000 \ M\Omega \\ \hline Dielectric strength: no failure \\ \hline No visual damage \\ \hline \Delta C/C < \pm 15 \% \\ \hline DF \le 5 \% \\ \hline IR \ge 3000 \ M\Omega \\ \hline Dielectric strength: no failure \\ \hline No visual damage \\ \hline \Delta C/C < \pm 15 \% \\ \hline DF \le 5 \% \\ \hline IR \ge 3000 \ M\Omega \\ \hline \end{tabular}$
C; 2250 V _{DC} ; 1000 h +48 h / -0 h; 40 °C \pm 2 °C; 90 % to 95 % RH; A _C at 50 Hz +48 h / -0 h; 40 °C \pm 2 °C; 90 % to 95 % RH; V _{DC} +48 h / -0 h; 40 °C \pm 2 °C / 90 % to 95 % RH; ading +48 h / -0 h; 85 °C \pm 3 °C / 85 % RH; A _C at 50 Hz	$\begin{array}{l} \Delta C/C < \pm 15 \ \% \\ \hline DF \leq 5 \ \% \\ \hline IR \geq 3000 \ M\Omega \\ \hline Dielectric strength: no failure \\ \hline No visual damage \\ \Delta C/C < \pm 15 \ \% \\ \hline DF \leq 5 \ \% \\ \hline IR \geq 3000 \ M\Omega \\ \hline Dielectric strength: no failure \\ \hline No visual damage \\ \Delta C/C < \pm 15 \ \% \\ \hline DF \leq 5 \ \% \\ \hline DF = 5 \ \% \\ $
C; 2250 V _{DC} ; 1000 h +48 h / -0 h; 40 °C \pm 2 °C; 90 % to 95 % RH; A _C at 50 Hz +48 h / -0 h; 40 °C \pm 2 °C; 90 % to 95 % RH; V _{DC} +48 h / -0 h; 40 °C \pm 2 °C / 90 % to 95 % RH; ading +48 h / -0 h; 85 °C \pm 3 °C / 85 % RH; A _C at 50 Hz	$\begin{array}{l} DF \leq 5 \ \% \\ \\ IR \geq 3000 \ M\Omega \\ \\ Dielectric strength: no failure \\ \\ No visual damage \\ \\ \Delta C/C < \pm 15 \ \% \\ \\ \\ DF \leq 5 \ \% \\ \\ \\ IR \geq 3000 \ M\Omega \\ \\ \\ \\ Dielectric strength: no failure \\ \\ \\ No visual damage \\ \\ \\ \\ \Delta C/C < \pm 15 \ \% \\ \\ \\ \\ \\ DF \leq 5 \ \% \end{array}$
C; 2250 V _{DC} ; 1000 h +48 h / -0 h; 40 °C \pm 2 °C; 90 % to 95 % RH; A _C at 50 Hz +48 h / -0 h; 40 °C \pm 2 °C; 90 % to 95 % RH; V _{DC} +48 h / -0 h; 40 °C \pm 2 °C / 90 % to 95 % RH; ading +48 h / -0 h; 85 °C \pm 3 °C / 85 % RH; A _C at 50 Hz	$eq:rescaled_$
+48 h / -0 h; 40 °C ± 2 °C; 90 % to 95 % RH; AC at 50 Hz +48 h / -0 h; 40 °C ± 2 °C; 90 % to 95 % RH; VDC +48 h / -0 h; 40 °C ± 2 °C / 90 % to 95 % RH; ading +48 h / -0 h; 85 °C ± 3 °C / 85 % RH; AC at 50 Hz	$\label{eq:constraint} \begin{array}{ c c c } \hline Dielectric strength: no failure \\ \hline No visual damage \\ \hline \Delta C/C < \pm 15 \% \\ \hline DF \leq 5 \% \\ \hline IR \geq 3000 \ M\Omega \\ \hline Dielectric strength: no failure \\ \hline No visual damage \\ \hline \Delta C/C < \pm 15 \% \\ \hline DF \leq 5 \% \\ \hline \end{array}$
AC at 50 Hz +48 h / -0 h; 40 °C ± 2 °C; 90 % to 95 % RH; V _{DC} +48 h / -0 h; 40 °C ± 2 °C / 90 % to 95 % RH; ading +48 h / -0 h; 85 °C ± 3 °C / 85 % RH; AC at 50 Hz	$\label{eq:linear} \begin{split} & \text{No visual damage} \\ & \Delta C/C < \pm 15 \ \% \\ & \text{DF} \leq 5 \ \% \\ & \text{IR} \geq 3000 \ \text{M}\Omega \\ & \text{Dielectric strength: no failure} \\ & \text{No visual damage} \\ & \Delta C/C < \pm 15 \ \% \\ & \text{DF} \leq 5 \ \% \end{split}$
AC at 50 Hz +48 h / -0 h; 40 °C ± 2 °C; 90 % to 95 % RH; V _{DC} +48 h / -0 h; 40 °C ± 2 °C / 90 % to 95 % RH; ading +48 h / -0 h; 85 °C ± 3 °C / 85 % RH; AC at 50 Hz	$\begin{array}{l} \Delta C/C < \pm 15 \ \% \\ \hline DF \leq 5 \ \% \\ \hline IR \geq 3000 \ M\Omega \\ \hline Dielectric strength: no failure \\ \hline No visual damage \\ \hline \Delta C/C < \pm 15 \ \% \\ \hline DF \leq 5 \ \% \end{array}$
AC at 50 Hz +48 h / -0 h; 40 °C ± 2 °C; 90 % to 95 % RH; V _{DC} +48 h / -0 h; 40 °C ± 2 °C / 90 % to 95 % RH; ading +48 h / -0 h; 85 °C ± 3 °C / 85 % RH; AC at 50 Hz	eq:def-def-def-def-def-def-def-def-def-def-
+48 h / -0 h; 40 °C ± 2 °C; 90 % to 95 % RH; V _{DC} +48 h / -0 h; 40 °C ± 2 °C / 90 % to 95 % RH; ading +48 h / -0 h; 85 °C ± 3 °C / 85 % RH; AC at 50 Hz	$\label{eq:rescaled} \begin{array}{l} \mbox{IR} \geq 3000 \mbox{ M}\Omega \\ \mbox{Dielectric strength: no failure} \\ \mbox{No visual damage} \\ \mbox{\Delta C/C} < \pm 15 \ \% \\ \mbox{DF} \leq 5 \ \% \end{array}$
+48 h / -0 h; 40 °C ± 2 °C / 90 % to 95 % RH; ading +48 h / -0 h; 85 °C ± 3 °C / 85 % RH; _{AC} at 50 Hz	Dielectric strength: no failureNo visual damage $\Delta C/C < \pm 15 \%$ DF $\leq 5 \%$
ading +48 h / -0 h; 85 °C ± 3 °C / 85 % RH; _{AC} at 50 Hz	No visual damage $\Delta C/C < \pm 15 \%$ DF $\leq 5 \%$
ading +48 h / -0 h; 85 °C ± 3 °C / 85 % RH; _{AC} at 50 Hz	$\Delta C/C < \pm 15 \%$ $DF \le 5 \%$
ading +48 h / -0 h; 85 °C ± 3 °C / 85 % RH; _{AC} at 50 Hz	DF ≤ 5 %
ading +48 h / -0 h; 85 °C ± 3 °C / 85 % RH; _{AC} at 50 Hz	
_{AC} at 50 Hz	$IR \ge 3000 IM\Omega$
_{AC} at 50 Hz	Dialactria atronath, na failura
_{AC} at 50 Hz	Dielectric strength: no failure No visual damage
_{AC} at 50 Hz	$\Delta C/C < \pm 15 \%$
+48 h / -0 h: 85 °C ± 3 °C / 85 % RH:	DF ≤ 5 %
	$IR \ge 3000 M\Omega$
V _{DC}	Dielectric strength: no failure
test: 17.7 N for 10 s ± 1 s for soldered on PCB	
	No damage to capacitor body and pin
n/s dipping speed; dwell 10 s at 2 mm dipping;	No visual damage $\Delta C/C < \pm 10 \%$ DF $\leq 5 \%$ IR $\geq 3000 M\Omega$ Dielectric strength: no failure
513 0	No visual damage $\Delta C/C < \pm 30 \%$ DF $\leq 5 \%$
r	strate 20 mm


Document Number: 28566




Vishay BCcomponents

PERFORMANCE			
TEST	TEST CONDITION	TEST LIMITS	
		Capacitance within specified tolerance	
Electrical characterization	aracterization 25 °C and -40 °C, +125 °C $DF \le 2.5 \%$	DF ≤ 2.5 %	
		Min. 10 000 MΩ	
		No visual damage	
	Light sizes 100 g/s; 6 ms; 2 shasks such of 6 svientation	$\Delta C/C < \pm 10 \%$	
Mechanical shock	Half-sine; 100 g/s; 6 ms; 3 shocks each of 6 orientation	DF ≤ 5 %	
		IR ≥ 10 000 MΩ	
		No visual damage	
Vibration	5 g/s; 1.5 mm amplitude; 20 min;	$\Delta C/C < \pm 10 \%$	
Vibration	12 cycles each of orientation; 10 Hz to 2000 Hz	DF ≤ 5 %	
		$IR \ge 10\ 000\ M\Omega$	

AC CURRENT VS. VOLTAGE (Typical)





IMPEDANCE VS. FREQUENCY (Typical)

Note

• Unless stated otherwise all electrical values apply at an ambient temperature of 25 °C ± 3 °C, at normal atmospheric conditions

RELATED DOCUMENTS	
CB Test Certificate	www.vishay.com/doc?22268
VDE Marks Approval	www.vishay.com/doc?22269
UL Test Certificate	www.vishay.com/doc?22271
CQC Test Certificate	www.vishay.com/doc?22270
Soldering Recommendation	www.vishay.com/doc?28572



Vishay

Disclaimer

ALL PRODUCT, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any datasheet or in any other disclosure relating to any product.

Vishay makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product. To the maximum extent permitted by applicable law, Vishay disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Statements regarding the suitability of products for certain types of applications are based on Vishay's knowledge of typical requirements that are often placed on Vishay products in generic applications. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. Parameters provided in datasheets and / or specifications may vary in different applications and performance may vary over time. All operating parameters, including typical parameters, must be validated for each customer application by the customer's technical experts. Product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein.

Hyperlinks included in this datasheet may direct users to third-party websites. These links are provided as a convenience and for informational purposes only. Inclusion of these hyperlinks does not constitute an endorsement or an approval by Vishay of any of the products, services or opinions of the corporation, organization or individual associated with the third-party website. Vishay disclaims any and all liability and bears no responsibility for the accuracy, legality or content of the third-party website or for that of subsequent links.

Vishay products are not designed for use in life-saving or life-sustaining applications or any application in which the failure of the Vishay product could result in personal injury or death unless specifically qualified in writing by Vishay. Customers using or selling Vishay products not expressly indicated for use in such applications do so at their own risk. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay. Product names and markings noted herein may be trademarks of their respective owners.

© 2025 VISHAY INTERTECHNOLOGY, INC. ALL RIGHTS RESERVED

Revision: 01-Jan-2025

1