

## 16 x 2 Character LCD



### FEATURES

- Type: character
- Display format: 16 x 2 characters
- Built-in controller: ST7066U (or equivalent)
- Duty cycle: 1/16
- 5 x 8 dots includes cursor
- + 5 V power supply
- LED can be driven by pin 1, pin 2, or A and K
- Material categorization: for definitions of compliance please see [www.vishay.com/doc?99912](http://www.vishay.com/doc?99912)


**RoHS**  
COMPLIANT

### MECHANICAL DATA

| ITEM             | STANDARD VALUE            | UNIT |
|------------------|---------------------------|------|
| Module Dimension | 80.0 x 36.0 x 13.2 (max.) | mm   |
| Viewing Area     | 66.0 x 16.0               |      |
| Dot Size         | 0.55 x 0.65               |      |
| Dot Pitch        | 0.60 x 0.70               |      |
| Mounting Hole    | 75.0 x 31.0               |      |
| Character Size   | 2.95 x 5.55               |      |

### ABSOLUTE MAXIMUM RATINGS

| ITEM          | SYMBOL               | STANDARD VALUE |      |          | UNIT |
|---------------|----------------------|----------------|------|----------|------|
|               |                      | MIN.           | TYP. | MAX.     |      |
| Power Supply  | $V_{DD}$ to $V_{SS}$ | -0.3           | -    | 7        | V    |
| Input Voltage | $V_I$                | $V_{SS}$       | -    | $V_{DD}$ |      |

#### Note

- $V_{SS} = 0$  V,  $V_{DD} = 5.0$  V

### ELECTRICAL CHARACTERISTICS


| ITEM                                                                 | SYMBOL            | CONDITION                      | STANDARD VALUE |      |      | UNIT |
|----------------------------------------------------------------------|-------------------|--------------------------------|----------------|------|------|------|
|                                                                      |                   |                                | MIN.           | TYP. | MAX. |      |
| Input Voltage                                                        | $V_{DD}$          | $V_{DD} = +5$ V                | 4.5            | 5.0  | 5.5  | V    |
| Supply Current                                                       | $I_{DD}$          | $V_{DD} = +5$ V                | 1.0            | 1.2  | 1.5  | mA   |
| Recommended LC Driving Voltage for Normal Temperature Version Module | $V_{DD}$ to $V_0$ | -20 °C                         | -              | -    | 5.2  | V    |
|                                                                      |                   | 0 °C                           | -              | -    | -    |      |
|                                                                      |                   | 25 °C                          | 3.6            | 3.7  | 3.8  |      |
|                                                                      |                   | 50 °C                          | -              | -    | -    |      |
|                                                                      |                   | 70 °C                          | 3.2            | -    | -    |      |
| LED Forward Voltage                                                  | $V_F$             | 25 °C                          | 3.9            | 4.1  | 4.3  | V    |
| LED Forward Current                                                  | $I_F$             | $V = 4.1$ V                    | 117            | 130  | 156  | mA   |
| EL Power Supply Current                                              | $I_{EL}$          | $V_{EL} = 110 V_{AC}$ , 400 Hz | -              | -    | 5.0  | mA   |

### DISPLAY CHARACTER ADDRESS CODE

|                  |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
|------------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| Display Position |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
|                  | 1  | 2  | 3  | 4  | 5  | 6  | 7  | 8  | 9  | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| DD RAM Address   | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 0A | 0B | 0C | 0D | 0E | 0F |
| DD RAM Address   | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 4A | 4B | 4C | 4D | 4E | 4F |

**INTERFACE PIN FUNCTION**

| PIN NO. | SYMBOL          | FUNCTION                                         |
|---------|-----------------|--------------------------------------------------|
| 1       | V <sub>SS</sub> | Ground                                           |
| 2       | V <sub>DD</sub> | Supply voltage for logic                         |
| 3       | V <sub>0</sub>  | Contrast adjustment (variable)                   |
| 4       | RS              | H: data / L: instruction code                    |
| 5       | R / W           | H: read (MPU → module) / L: write (MPU → module) |
| 6       | E               | H, H → L chip enable signal                      |
| 7       | DB0             | Data bus line                                    |
| 8       | DB1             | Data bus line                                    |
| 9       | DB2             | Data bus line                                    |
| 10      | DB3             | Data bus line                                    |
| 11      | DB4             | Data bus line                                    |
| 12      | DB5             | Data bus line                                    |
| 13      | DB6             | Data bus line                                    |
| 14      | DB7             | Data bus line                                    |
| 15      | A               | Power supply for backlight (+)                   |
| 16      | K               | Power supply for backlight (-)                   |

**DIMENSIONS** in millimeters


The non-specified tolerance of dimension is ± 0.3 mm.



# 1. Module Classification Information

***LCD -016 N 002 B -Y Y H -ET***

1 2 3 4 5 6 7 8 9

1. Brand : Vishay Intertechnology, Inc.

2. Horizontal Format: 16 characters

3. Display Type : N→Character Type, H→Graphic Type, Y→TAB Type

4. Vertical Format: 2 Lines

5. Model serials no.: B

|                     |                     |                   |                         |
|---------------------|---------------------|-------------------|-------------------------|
| 6. Backlight Type : | N→Without backlight | T→LED, White      | S→LED, High light White |
|                     | B→EL, Blue green    | A→LED, Amber      | L→LED, Full color       |
|                     | D→EL, Green         | R→LED, Red        | J→DIP LED, Blue         |
|                     | W→EL, White         | O→LED, Orange     | K→DIP LED, White        |
|                     | M→EL, Yellow Green  | G→LED, Green      | E→DIP LED, Yellow Green |
|                     | F→CCFL, White       | P→LED, Blue       | H→DIP LED, Amber        |
|                     | Y→LED, Yellow Green | X→LED, Dual color | I→DIP LED, Red          |
|                     | G→LED, Green        | C→LED, Full color |                         |

|               |                              |                               |
|---------------|------------------------------|-------------------------------|
| 7. LCD Mode : | B→TN Positive, Gray          | V→FSTN Negative, Blue         |
|               | N→TN Negative,               | T→FSTN Negative, Black        |
|               | L→VA Negative                | D→FSTN Negative (Double film) |
|               | H→ HTN Positive, Gray        | F→FSTN Positive               |
|               | I→HTN Negative, Black        | K→FSC Negative                |
|               | U→HTN Negative, Blue         | S→FSC Positive                |
|               | M→STN Negative, Blue         | E→ISTN Negative, Black        |
|               | G→STN Positive, Gray         | C→CSTN Negative, Black        |
|               | Y→STN Positive, Yellow Green | A→ASTN Negative, Black        |

|                 |                             |                             |
|-----------------|-----------------------------|-----------------------------|
| 8. LCD          | A→Reflective, N.T, 6:00     | H→Transflective, W.T, 6:00  |
| Polarizer Type/ | D→Reflective, N.T, 12:00    | K→Transflective, W.T, 12:00 |
| Temperature     | G→Reflective, W. T, 6:00    | C→Transmissive, N.T, 6:00   |
| range/ View     | J→Reflective, W. T, 12:00   | F→Transmissive, N.T, 12:00  |
| direction       | B→Transflective, N.T, 6:00  | I→Transmissive, W. T, 6:00  |
|                 | E→Transflective, N.T, 12:00 | L→Transmissive, W.T, 12:00  |

9. Special Code ET: English and European standard font

Note: Compliant with the ROHS Directions and regulations

## **2. Precautions in use of LCD Modules**

- (1) Avoid applying excessive shocks to the module or making any alterations or modifications to it.
- (2) Don't make extra holes on the printed circuit board, modify its shape or change the components of LCD module.
- (3) Don't disassemble the LCM.
- (4) Don't operate it above the absolute maximum rating.
- (5) Don't drop, bend or twist LCM.
- (6) Soldering: only to the I/O terminals.
- (7) Storage: please storage in anti-static electricity container and clean environment.
- (8) Supplier had the right to change the passive components, including R3, R6 & backlight adjust resistors. (Resistors, capacitors and other passive components will have different appearance and color caused by the different supplier.)
- (9) Supplier has the right to change the PCB Rev. (In order to satisfy the supplying stability, management optimization and the best product performance...etc, under the premise of not affecting the electrical characteristics and external dimensions, Vishay has the right to modify the version.)

### 3. General Specification

| Item                 | Dimension                                                                                                                                                         | Unit |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| Number of Characters | 16 characters x 2Lines                                                                                                                                            | —    |
| Module dimension     | 80.0 x 36.0 x 13.2 (MAX)                                                                                                                                          | mm   |
| View area            | 66.0 x 16.0                                                                                                                                                       | mm   |
| Active area          | 56.20 x 11.5                                                                                                                                                      | mm   |
| Dot size             | 0.55 x 0.65                                                                                                                                                       | mm   |
| Dot pitch            | 0.60 x 0.70                                                                                                                                                       | mm   |
| Character size       | 2.95 x 5.55                                                                                                                                                       | mm   |
| Character pitch      | 3.55 x 5.95                                                                                                                                                       | mm   |
| LCD type             | STN Positive, Yellow Green Transflective<br>(In LCD production, It will occur slightly color difference. We can only guarantee the same color in the same batch.) |      |
| Duty                 | 1/16                                                                                                                                                              |      |
| View direction       | 6 o'clock                                                                                                                                                         |      |
| Backlight Type       | LED Yellow Green                                                                                                                                                  |      |
| IC                   | ST7066U                                                                                                                                                           |      |




## **4. Absolute Maximum Ratings**

| Item                     | Symbol          | Min      | Typ | Max      | Unit |
|--------------------------|-----------------|----------|-----|----------|------|
| Operating Temperature    | $T_{OP}$        | -20      | —   | +70      | °C   |
| Storage Temperature      | $T_{ST}$        | -30      | —   | +80      | °C   |
| Input Voltage            | $V_I$           | $V_{SS}$ | —   | $V_{DD}$ | V    |
| Supply Voltage For Logic | $V_{DD}-V_{SS}$ | -0.3     | —   | 7        | V    |
| Supply Voltage For LCD   | $V_{DD}-V_o$    | -0.3     | —   | 13       | V    |

## 5. Electrical Characteristics

| Item                     | Symbol          | Condition                 | Min          | Typ | Max      | Unit |
|--------------------------|-----------------|---------------------------|--------------|-----|----------|------|
| Supply Voltage For Logic | $V_{DD}-V_{SS}$ | —                         | 4.5          | 5.0 | 5.5      | V    |
| Supply Voltage For LCD   | $V_{DD}-V_0$    | $T_a=-20^{\circ}\text{C}$ | —            | —   | 5.2      | V    |
| *Note                    |                 | $T_a=25^{\circ}\text{C}$  | 3.6          | 3.7 | 3.8      | V    |
|                          |                 | $T_a=70^{\circ}\text{C}$  | 3.2          | —   | —        | V    |
| Input High Volt.         | $V_{IH}$        | —                         | $0.7 V_{DD}$ | —   | $V_{DD}$ | V    |
| Input Low Volt.          | $V_{IL}$        | —                         | $V_{SS}$     | —   | 0.6      | V    |
| Output High Volt.        | $V_{OH}$        | —                         | 3.9          | —   | $V_{DD}$ | V    |
| Output Low Volt.         | $V_{OL}$        | —                         | 0            | —   | 0.4      | V    |
| Supply Current           | $I_{DD}$        | $V_{DD}=5.0\text{V}$      | 1.0          | 1.2 | 1.5      | mA   |


\* Note: Please design the VOP adjustment circuit on customer's main board




## 6. Optical Characteristics

| Item           | Symbol   | Condition   | Min | Typ | Max | Unit               |
|----------------|----------|-------------|-----|-----|-----|--------------------|
| View Angle     | $\theta$ | $CR \geq 2$ | 0   | —   | 20  | $\phi = 180^\circ$ |
|                | $\theta$ | $CR \geq 2$ | 0   | —   | 40  | $\phi = 0^\circ$   |
|                | $\theta$ | $CR \geq 2$ | 0   | —   | 30  | $\phi = 90^\circ$  |
|                | $\theta$ | $CR \geq 2$ | 0   | —   | 30  | $\phi = 270^\circ$ |
| Contrast Ratio | CR       | —           | —   | 3   | —   | —                  |
| Response Time  | T rise   | —           | —   | 150 | 200 | ms                 |
|                | T fall   | —           | —   | 150 | 200 | ms                 |

### Definition of Operation Voltage (Vop)




### Definition of Response Time (Tr, Tf)



### Conditions :

Operating Voltage : Vop      Viewing Angle( $\theta$  ,  $\phi$ ) :  $0^\circ$  ,  $0^\circ$   
Frame Frequency : 64 HZ      Driving Waveform : 1/N duty , 1/a bias


### Definition of viewing angle( $CR \geq 2$ )



## 7.Interface Pin Function

| Pin No. | Symbol          | Level      | Description                              |
|---------|-----------------|------------|------------------------------------------|
| 1       | V <sub>SS</sub> | 0V         | Ground                                   |
| 2       | V <sub>DD</sub> | 5.0V       | Supply Voltage for logic                 |
| 3       | VO              | (Variable) | Contrast Adjustment                      |
| 4       | RS              | H/L        | H: DATA, L: Instruction code             |
| 5       | R/W             | H/L        | H: Read(MPU→Module) L: Write(MPU→Module) |
| 6       | E               | H,H→L      | Chip enable signal                       |
| 7       | DB0             | H/L        | Data bus line                            |
| 8       | DB1             | H/L        | Data bus line                            |
| 9       | DB2             | H/L        | Data bus line                            |
| 10      | DB3             | H/L        | Data bus line                            |
| 11      | DB4             | H/L        | Data bus line                            |
| 12      | DB5             | H/L        | Data bus line                            |
| 13      | DB6             | H/L        | Data bus line                            |
| 14      | DB7             | H/L        | Data bus line                            |
| 15      | A               | —          | Power supply for B/L(+)                  |
| 16      | K               | —          | Power supply for B/L(-)                  |

## 8. Contour Drawing & Block Diagram



| PIN NO. | SYMBOL |
|---------|--------|
| 1       | Vss    |
| 2       | Vdd    |
| 3       | Vo     |
| 4       | RS     |
| 5       | R/W    |
| 6       | E      |
| 7       | DB0    |
| 8       | DB1    |
| 9       | DB2    |
| 10      | DB3    |
| 11      | DB4    |
| 12      | DB5    |
| 13      | DB6    |
| 14      | DB7    |
| 15      | A      |
| 16      | K      |

The non-specified tolerance of dimension is  $\pm 0.3\text{mm}$ .


## 9.Character Generator ROM Pattern

Table.2

| Upper<br>4 bit<br>Lower<br>4 bit | LLLL             | LLLH                                                                                | LLHL                                                                                | LLHH                                                                                | LHLL                                                                                | LHLH                                                                                | LHHL                                                                                | LHHH                                                                                | HLLL                                                                                | HLLH                                                                                | HLHL                                                                                | HLHH                                                                                | HHLL                                                                                 | HHLH                                                                                  | HHHL                                                                                  | HHHH                                                                                  |
|----------------------------------|------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| LLLL                             | CG<br>RAM<br>(1) |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| LLLH                             | CG<br>RAM<br>(2) |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| LLHL                             | CG<br>RAM<br>(3) |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| LLHH                             | CG<br>RAM<br>(4) |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| LHLL                             | CG<br>RAM<br>(5) |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| LHLH                             | CG<br>RAM<br>(6) |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| LHHL                             | CG<br>RAM<br>(7) |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| LHHH                             | CG<br>RAM<br>(8) |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| HLLL                             | CG<br>RAM<br>(1) |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| HLLH                             | CG<br>RAM<br>(2) |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| HLHL                             | CG<br>RAM<br>(3) |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| HLHH                             | CG<br>RAM<br>(4) |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| HHLL                             | CG<br>RAM<br>(5) |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| HHLH                             | CG<br>RAM<br>(6) |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| HHHL                             | CG<br>RAM<br>(7) |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| HHHH                             | CG<br>RAM<br>(8) |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

## 10. Reliability

Content of Reliability Test (Wide temperature, -20°C~70°C)

| Environmental Test                 |                                                                                                                                                                                         |                                                                                                                                           |      |
|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|------|
| Test Item                          | Content of Test                                                                                                                                                                         | Test Condition                                                                                                                            | Note |
| High Temperature storage           | Endurance test applying the high storage temperature for a long time.                                                                                                                   | 80°C<br>200hrs                                                                                                                            | 2    |
| Low Temperature storage            | Endurance test applying the low storage temperature for a long time.                                                                                                                    | -30°C<br>200hrs                                                                                                                           | 1,2  |
| High Temperature Operation         | Endurance test applying the electric stress (Voltage & Current) and the thermal stress to the element for a long time.                                                                  | 70°C<br>200hrs                                                                                                                            | —    |
| Low Temperature Operation          | Endurance test applying the electric stress under low temperature for a long time.                                                                                                      | -20°C<br>200hrs                                                                                                                           | 1    |
| High Temperature/ Humidity storage | The module should be allowed to stand at 60 °C, 90%RH max<br>For 96hrs under no-load condition excluding the polarizer,<br>Then taking it out and drying it at normal temperature.      | 60°C, 90%RH<br>96hrs                                                                                                                      | 1,2  |
| Thermal shock resistance           | The sample should be allowed stand the following 10 cycles of operation<br>-20°C    25°C    70°C<br> | -20°C/70°C<br>10 cycles                                                                                                                   | —    |
| Vibration test                     | Endurance test applying the vibration during transportation and using.                                                                                                                  | Total fixed amplitude : 1.5mm<br>Vibration<br>Frequency :<br>10~55Hz<br>One cycle 60 seconds to 3 directions of X,Y,Z for Each 15 minutes | 3    |
| Static electricity test            | Endurance test applying the electric stress to the terminal.                                                                                                                            | VS=800V, RS=1.5kΩ<br>CS=100pF<br>1 time                                                                                                   | —    |

**Note1:** No dew condensation to be observed.

**Note2:** The function test shall be conducted after 4 hours storage at the normal Temperature and humidity after remove from the test chamber.

**Note3:** The packing have to including into the vibration testing.


# 11.Backlight Information

## Specification

| PARAMETER                  | SYMBOL           | MIN | TYP    | MAX | UNIT              | TEST CONDITION                            |
|----------------------------|------------------|-----|--------|-----|-------------------|-------------------------------------------|
| Supply Current             | I <sub>LED</sub> | 117 | 130    | 156 | mA                | V=4.1V                                    |
| Supply Voltage             | V                | 3.9 | 4.1    | 4.3 | V                 | —                                         |
| Reverse Voltage            | V <sub>R</sub>   | —   | —      | 8   | V                 | —                                         |
| Luminance<br>(Without LCD) | I <sub>V</sub>   | 216 | 270    | —   | CD/M <sup>2</sup> | I <sub>LED</sub> =130mA                   |
| Wave Length                | λ <sub>p</sub>   | 569 | 570    | 573 | nm                | I <sub>LED</sub> =130mA                   |
| Life Time                  | —                | —   | 100000 | —   | Hr.               | I <sub>LED</sub> ≤ 130mA<br>25°C,50-60%RH |
| Color                      | Yellow Green     |     |        |     |                   |                                           |



**Note:** The LED of B/L is drive by current only, drive voltage is for reference only.  
drive voltage can make driving current under safety area (current between minimum and maximum).



2.Drive from pin15,pin16







ill never get V<sub>ee</sub> output from pin15)

## 12. Inspection specification

| NO                      | Item                                                      | Criterion                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | AQL         |                 |                  |                 |                         |   |                         |   |               |   |            |       |                 |     |               |                 |              |                      |   |              |                      |     |            |               |     |
|-------------------------|-----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------------|------------------|-----------------|-------------------------|---|-------------------------|---|---------------|---|------------|-------|-----------------|-----|---------------|-----------------|--------------|----------------------|---|--------------|----------------------|-----|------------|---------------|-----|
| 01                      | Electrical Testing                                        | Missing vertical, horizontal segment, segment contrast defect.<br>Missing character , dot or icon.<br>Display malfunction.<br>No function or no display.<br>Current consumption exceeds product specifications.<br>LCD viewing angle defect.<br>Mixed product types.<br>Contrast defect.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 0.65        |                 |                  |                 |                         |   |                         |   |               |   |            |       |                 |     |               |                 |              |                      |   |              |                      |     |            |               |     |
| 02                      | Black or white spots on LCD (display only)                | 2.1 White and black spots on display $\leq 0.25\text{mm}$ , no more than three white or black spots present.<br>2.2 Densely spaced: No more than two spots or lines within 3mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 2.5         |                 |                  |                 |                         |   |                         |   |               |   |            |       |                 |     |               |                 |              |                      |   |              |                      |     |            |               |     |
| 03                      | LCD black spots, white spots, contamination (non-display) | <div>3.1 Round type : As following drawing<br/><math>\Phi=(x+y)/2</math><br/></div> <table><thead><tr><th>SIZE</th><th>Acceptable Q TY</th></tr></thead><tbody><tr><td><math>\Phi \leq 0.10</math></td><td>Accept no dense</td></tr><tr><td><math>0.10 &lt; \Phi \leq 0.20</math></td><td>2</td></tr><tr><td><math>0.20 &lt; \Phi \leq 0.25</math></td><td>1</td></tr><tr><td><math>0.25 &lt; \Phi</math></td><td>0</td></tr></tbody></table> <div>3.2 Line type : (As following drawing)<br/></div> <table><thead><tr><th>Length</th><th>Width</th><th>Acceptable Q TY</th></tr></thead><tbody><tr><td>---</td><td><math>W \leq 0.02</math></td><td>Accept no dense</td></tr><tr><td><math>L \leq 3.0</math></td><td><math>0.02 &lt; W \leq 0.03</math></td><td rowspan="2">2</td></tr><tr><td><math>L \leq 2.5</math></td><td><math>0.03 &lt; W \leq 0.05</math></td></tr><tr><td>---</td><td><math>0.05 &lt; W</math></td><td>As round type</td></tr></tbody></table> | SIZE        | Acceptable Q TY | $\Phi \leq 0.10$ | Accept no dense | $0.10 < \Phi \leq 0.20$ | 2 | $0.20 < \Phi \leq 0.25$ | 1 | $0.25 < \Phi$ | 0 | Length     | Width | Acceptable Q TY | --- | $W \leq 0.02$ | Accept no dense | $L \leq 3.0$ | $0.02 < W \leq 0.03$ | 2 | $L \leq 2.5$ | $0.03 < W \leq 0.05$ | --- | $0.05 < W$ | As round type | 2.5 |
| SIZE                    | Acceptable Q TY                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |             |                 |                  |                 |                         |   |                         |   |               |   |            |       |                 |     |               |                 |              |                      |   |              |                      |     |            |               |     |
| $\Phi \leq 0.10$        | Accept no dense                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |             |                 |                  |                 |                         |   |                         |   |               |   |            |       |                 |     |               |                 |              |                      |   |              |                      |     |            |               |     |
| $0.10 < \Phi \leq 0.20$ | 2                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |             |                 |                  |                 |                         |   |                         |   |               |   |            |       |                 |     |               |                 |              |                      |   |              |                      |     |            |               |     |
| $0.20 < \Phi \leq 0.25$ | 1                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |             |                 |                  |                 |                         |   |                         |   |               |   |            |       |                 |     |               |                 |              |                      |   |              |                      |     |            |               |     |
| $0.25 < \Phi$           | 0                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |             |                 |                  |                 |                         |   |                         |   |               |   |            |       |                 |     |               |                 |              |                      |   |              |                      |     |            |               |     |
| Length                  | Width                                                     | Acceptable Q TY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |             |                 |                  |                 |                         |   |                         |   |               |   |            |       |                 |     |               |                 |              |                      |   |              |                      |     |            |               |     |
| ---                     | $W \leq 0.02$                                             | Accept no dense                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |             |                 |                  |                 |                         |   |                         |   |               |   |            |       |                 |     |               |                 |              |                      |   |              |                      |     |            |               |     |
| $L \leq 3.0$            | $0.02 < W \leq 0.03$                                      | 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |             |                 |                  |                 |                         |   |                         |   |               |   |            |       |                 |     |               |                 |              |                      |   |              |                      |     |            |               |     |
| $L \leq 2.5$            | $0.03 < W \leq 0.05$                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |             |                 |                  |                 |                         |   |                         |   |               |   |            |       |                 |     |               |                 |              |                      |   |              |                      |     |            |               |     |
| ---                     | $0.05 < W$                                                | As round type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |             |                 |                  |                 |                         |   |                         |   |               |   |            |       |                 |     |               |                 |              |                      |   |              |                      |     |            |               |     |
| 04                      | Polarizer bubbles                                         | <div>If bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.</div> <table><thead><tr><th>Size <math>\Phi</math></th><th>Acceptable Q TY</th></tr></thead><tbody><tr><td><math>\Phi \leq 0.20</math></td><td>Accept no dense</td></tr><tr><td><math>0.20 &lt; \Phi \leq 0.50</math></td><td>3</td></tr><tr><td><math>0.50 &lt; \Phi \leq 1.00</math></td><td>2</td></tr><tr><td><math>1.00 &lt; \Phi</math></td><td>0</td></tr><tr><td>Total Q TY</td><td>3</td></tr></tbody></table>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Size $\Phi$ | Acceptable Q TY | $\Phi \leq 0.20$ | Accept no dense | $0.20 < \Phi \leq 0.50$ | 3 | $0.50 < \Phi \leq 1.00$ | 2 | $1.00 < \Phi$ | 0 | Total Q TY | 3     | 2.5             |     |               |                 |              |                      |   |              |                      |     |            |               |     |
| Size $\Phi$             | Acceptable Q TY                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |             |                 |                  |                 |                         |   |                         |   |               |   |            |       |                 |     |               |                 |              |                      |   |              |                      |     |            |               |     |
| $\Phi \leq 0.20$        | Accept no dense                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |             |                 |                  |                 |                         |   |                         |   |               |   |            |       |                 |     |               |                 |              |                      |   |              |                      |     |            |               |     |
| $0.20 < \Phi \leq 0.50$ | 3                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |             |                 |                  |                 |                         |   |                         |   |               |   |            |       |                 |     |               |                 |              |                      |   |              |                      |     |            |               |     |
| $0.50 < \Phi \leq 1.00$ | 2                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |             |                 |                  |                 |                         |   |                         |   |               |   |            |       |                 |     |               |                 |              |                      |   |              |                      |     |            |               |     |
| $1.00 < \Phi$           | 0                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |             |                 |                  |                 |                         |   |                         |   |               |   |            |       |                 |     |               |                 |              |                      |   |              |                      |     |            |               |     |
| Total Q TY              | 3                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |             |                 |                  |                 |                         |   |                         |   |               |   |            |       |                 |     |               |                 |              |                      |   |              |                      |     |            |               |     |

| NO                 | Item                  | Criterion                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | AQL               |               |                |               |                       |               |                    |                 |               |                   |               |                |               |                       |               |                    |                 |               |     |
|--------------------|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------------|----------------|---------------|-----------------------|---------------|--------------------|-----------------|---------------|-------------------|---------------|----------------|---------------|-----------------------|---------------|--------------------|-----------------|---------------|-----|
| 05                 | Scratches             | Follow NO.3 LCD black spots, white spots, contamination                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                   |               |                |               |                       |               |                    |                 |               |                   |               |                |               |                       |               |                    |                 |               |     |
| 06                 | Chipped glass         | <div> <div> <div>Symbols Define:</div> <div> <div>x: Chip length</div> <div>y: Chip width</div> <div>z: Chip thickness</div> <div>k: Seal width</div> <div>t: Glass thickness</div> <div>a: LCD side length</div> <div>L: Electrode pad length:</div> </div> </div> <div> <div>6.1 General glass chip :</div> <div>6.1.1 Chip on panel surface and crack between panels:</div> <div>  </div> <div> <table> <tr> <th>z: Chip thickness</th> <th>y: Chip width</th> <th>x: Chip length</th> </tr> <tr> <td><math>Z \leq 1/2t</math></td> <td>Not over viewing area</td> <td><math>x \leq 1/8a</math></td> </tr> <tr> <td><math>1/2t &lt; z \leq 2t</math></td> <td>Not exceed 1/3k</td> <td><math>x \leq 1/8a</math></td> </tr> </table> <div> <div>⊙If there are 2 or more chips, x is total length of each chip.</div> </div> <div>6.1.2 Corner crack:</div> <div>  </div> <div> <table> <tr> <th>z: Chip thickness</th> <th>y: Chip width</th> <th>x: Chip length</th> </tr> <tr> <td><math>Z \leq 1/2t</math></td> <td>Not over viewing area</td> <td><math>x \leq 1/8a</math></td> </tr> <tr> <td><math>1/2t &lt; z \leq 2t</math></td> <td>Not exceed 1/3k</td> <td><math>x \leq 1/8a</math></td> </tr> </table> <div> <div>⊙If there are 2 or more chips, x is the total length of each chip.</div> </div> </div> </div> </div> </div> | z: Chip thickness | y: Chip width | x: Chip length | $Z \leq 1/2t$ | Not over viewing area | $x \leq 1/8a$ | $1/2t < z \leq 2t$ | Not exceed 1/3k | $x \leq 1/8a$ | z: Chip thickness | y: Chip width | x: Chip length | $Z \leq 1/2t$ | Not over viewing area | $x \leq 1/8a$ | $1/2t < z \leq 2t$ | Not exceed 1/3k | $x \leq 1/8a$ | 2.5 |
| z: Chip thickness  | y: Chip width         | x: Chip length                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                   |               |                |               |                       |               |                    |                 |               |                   |               |                |               |                       |               |                    |                 |               |     |
| $Z \leq 1/2t$      | Not over viewing area | $x \leq 1/8a$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                   |               |                |               |                       |               |                    |                 |               |                   |               |                |               |                       |               |                    |                 |               |     |
| $1/2t < z \leq 2t$ | Not exceed 1/3k       | $x \leq 1/8a$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                   |               |                |               |                       |               |                    |                 |               |                   |               |                |               |                       |               |                    |                 |               |     |
| z: Chip thickness  | y: Chip width         | x: Chip length                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                   |               |                |               |                       |               |                    |                 |               |                   |               |                |               |                       |               |                    |                 |               |     |
| $Z \leq 1/2t$      | Not over viewing area | $x \leq 1/8a$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                   |               |                |               |                       |               |                    |                 |               |                   |               |                |               |                       |               |                    |                 |               |     |
| $1/2t < z \leq 2t$ | Not exceed 1/3k       | $x \leq 1/8a$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                   |               |                |               |                       |               |                    |                 |               |                   |               |                |               |                       |               |                    |                 |               |     |

| NO | Item        | Criterion                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | AQL            |                   |                   |                       |               |                |               |                |                   |            |               |                |          |           |               |            |     |
|----|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------|-------------------|-----------------------|---------------|----------------|---------------|----------------|-------------------|------------|---------------|----------------|----------|-----------|---------------|------------|-----|
| 06 | Glass crack | <p>Symbols :</p> <p>x: Chip length                  y: Chip width                  z: Chip thickness</p> <p>k: Seal width                  t: Glass thickness          a: LCD side length</p> <p>L: Electrode pad length</p> <p>6.2 Protrusion over terminal :</p> <p>6.2.1 Chip on electrode pad :</p>  <table border="1" data-bbox="388 785 1141 869"> <tr> <td>y: Chip width</td> <td>x: Chip length</td> <td>z: Chip thickness</td> </tr> <tr> <td><math>y \leq 0.5\text{mm}</math></td> <td><math>x \leq 1/8a</math></td> <td><math>0 &lt; z \leq t</math></td> </tr> </table> <p>6.2.2 Non-conductive portion:</p>  <table border="1" data-bbox="446 1182 1120 1278"> <tr> <td>y: Chip width</td> <td>x: Chip length</td> <td>z: Chip thickness</td> </tr> <tr> <td><math>y \leq L</math></td> <td><math>x \leq 1/8a</math></td> <td><math>0 &lt; z \leq t</math></td> </tr> </table> <p>⊙If the chipped area touches the ITO terminal, over 2/3 of the ITO must remain and be inspected according to electrode terminal specifications.</p> <p>⊙If the product will be heat sealed by the customer, the alignment mark not be damaged.</p> <p>6.2.3 Substrate protuberance and internal crack.</p>  <table border="1" data-bbox="721 1486 1179 1568"> <tr> <td>y: width</td> <td>x: length</td> </tr> <tr> <td><math>y \leq 1/3L</math></td> <td><math>x \leq a</math></td> </tr> </table> | y: Chip width  | x: Chip length    | z: Chip thickness | $y \leq 0.5\text{mm}$ | $x \leq 1/8a$ | $0 < z \leq t$ | y: Chip width | x: Chip length | z: Chip thickness | $y \leq L$ | $x \leq 1/8a$ | $0 < z \leq t$ | y: width | x: length | $y \leq 1/3L$ | $x \leq a$ | 2.5 |
|    |             | y: Chip width                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | x: Chip length | z: Chip thickness |                   |                       |               |                |               |                |                   |            |               |                |          |           |               |            |     |
|    |             | $y \leq 0.5\text{mm}$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | $x \leq 1/8a$  | $0 < z \leq t$    |                   |                       |               |                |               |                |                   |            |               |                |          |           |               |            |     |
|    |             | y: Chip width                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | x: Chip length | z: Chip thickness |                   |                       |               |                |               |                |                   |            |               |                |          |           |               |            |     |
|    |             | $y \leq L$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | $x \leq 1/8a$  | $0 < z \leq t$    |                   |                       |               |                |               |                |                   |            |               |                |          |           |               |            |     |
|    |             | y: width                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | x: length      |                   |                   |                       |               |                |               |                |                   |            |               |                |          |           |               |            |     |
|    |             | $y \leq 1/3L$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | $x \leq a$     |                   |                   |                       |               |                |               |                |                   |            |               |                |          |           |               |            |     |

| NO | Item               | Criterion                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | AQL                                                            |
|----|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| 07 | Cracked glass      | The LCD with extensive crack is not acceptable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 2.5                                                            |
| 08 | Backlight elements | 8.1 Illumination source flickers when lit.<br>8.2 Spots or scratched that appear when lit must be judged.<br>Using LCD spot, lines and contamination standards.<br>8.3 Backlight doesn't light or color wrong.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 0.65<br>2.5<br><br>0.65                                        |
| 09 | Bezel              | 9.1 Bezel may not have rust, be deformed or have fingerprints, stains or other contamination.<br>9.2 Bezel must comply with job specifications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 2.5<br>0.65                                                    |
| 10 | PCB、COB            | 10.1 COB seal may not have pinholes larger than 0.2mm or contamination.<br>10.2 COB seal surface may not have pinholes through to the IC.<br>10.3 The height of the COB should not exceed the height indicated in the assembly diagram.<br>10.4 There may not be more than 2mm of sealant outside the seal area on the PCB. And there should be no more than three places.<br>10.5 No oxidation or contamination PCB terminals.<br>10.6 Parts on PCB must be the same as on the production characteristic chart. There should be no wrong parts, missing parts or excess parts.<br>10.7 The jumper on the PCB should conform to the product characteristic chart.<br>10.8 If solder gets on bezel tab pads, LED pad, zebra pad or screw hold pad, make sure it is smoothed down.<br>10.9 The Scraping testing standard for Copper Coating of PCB<br><br>$X * Y \leq 2\text{mm}^2$ | 2.5<br>2.5<br>0.65<br>2.5<br><br>2.5<br>0.65<br><br>2.5<br>2.5 |
| 11 | Soldering          | 11.1 No un-melted solder paste may be present on the PCB.<br>11.2 No cold solder joints, missing solder connections, oxidation or icicle.<br>11.3 No residue or solder balls on PCB.<br>11.4 No short circuits in components on PCB.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 2.5<br>2.5<br>2.5<br>0.65                                      |



| NO | Item               | Criterion                                                                                                                               | AQL  |
|----|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------|------|
| 12 | General appearance | 12.1 No oxidation, contamination, curves or, bends on interface Pin (OLB) of TCP.                                                       | 2.5  |
|    |                    | 12.2 No cracks on interface pin (OLB) of TCP.                                                                                           | 0.65 |
|    |                    | 12.3 No contamination, solder residue or solder balls on product.                                                                       | 2.5  |
|    |                    | 12.4 The IC on the TCP may not be damaged, circuits.                                                                                    | 2.5  |
|    |                    | 12.5 The uppermost edge of the protective strip on the interface pin must be present or look as if it cause the interface pin to sever. | 2.5  |
|    |                    | 12.6 The residual rosin or tin oil of soldering (component or chip component) is not burned into brown or black color.                  | 2.5  |
|    |                    | 12.7 Sealant on top of the ITO circuit has not hardened.                                                                                | 2.5  |
|    |                    | 12.8 Pin type must match type in specification sheet.                                                                                   | 0.65 |
|    |                    | 12.9 LCD pin loose or missing pins.                                                                                                     | 0.65 |
|    |                    | 12.10 Product packaging must the same as specified on packaging specification sheet.                                                    | 0.65 |
|    |                    | 12.11 Product dimension and structure must conform to product specification sheet.                                                      | 0.65 |
|    |                    | 12.12 Visual defect outside of VA is not considered to be rejection.                                                                    | 0.65 |

## 13. Material List of Components for RoHS

1. Declaration that all of or part of products (with the mark “N” in code), including, but not limited to, the LCM, accessories or packages, manufactured and/or delivered to your company (including your subsidiaries and affiliated company) directly or indirectly by our company (including our subsidiaries or affiliated companies) do not intentionally contain any of the substances listed in all applicable EU directives and regulations, including the following substances.

Exhibit A : The Harmful Material List

| Material                                         | (Cd)    | (Pb)     | (Hg)     | (Cr6+)   | PBBs     | PBDEs    |
|--------------------------------------------------|---------|----------|----------|----------|----------|----------|
| Limited Value                                    | 100 ppm | 1000 ppm | 1000 ppm | 1000 ppm | 1000 ppm | 1000 ppm |
| Above limited value is set up according to RoHS. |         |          |          |          |          |          |

2. Process for RoHS requirement :

- (1) Use the Sn/Ag/Cu soldering surface ; the surface of Pb-free solder is rougher than we used before.
- (2) Heat-resistance temp. :  
Reflow : 250□, 30 seconds Max. ;  
Connector soldering wave or hand soldering : 320□, 10 seconds max.
- (3) Temp. curve of reflow, max. Temp. : 235±5□ ;  
Recommended customer's soldering temp. of connector : 280□, 3 seconds.

## 14. Recommendable Storage

1. Place the panel or module in the temperature 25°C±5°C and the humidity below 65% RH
2. Do not place the module near organics solvents or corrosive gases.
3. Do not crush, shake, or jolt the module.



## Disclaimer

ALL PRODUCT, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any datasheet or in any other disclosure relating to any product.

Vishay makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product. To the maximum extent permitted by applicable law, Vishay disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Statements regarding the suitability of products for certain types of applications are based on Vishay's knowledge of typical requirements that are often placed on Vishay products in generic applications. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. Parameters provided in datasheets and / or specifications may vary in different applications and performance may vary over time. All operating parameters, including typical parameters, must be validated for each customer application by the customer's technical experts. Product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein.

Hyperlinks included in this datasheet may direct users to third-party websites. These links are provided as a convenience and for informational purposes only. Inclusion of these hyperlinks does not constitute an endorsement or an approval by Vishay of any of the products, services or opinions of the corporation, organization or individual associated with the third-party website. Vishay disclaims any and all liability and bears no responsibility for the accuracy, legality or content of the third-party website or for that of subsequent links.

Vishay products are not designed for use in life-saving or life-sustaining applications or any application in which the failure of the Vishay product could result in personal injury or death unless specifically qualified in writing by Vishay. Customers using or selling Vishay products not expressly indicated for use in such applications do so at their own risk. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay. Product names and markings noted herein may be trademarks of their respective owners.