

# PACKAGING CODE DEFINITIONS

<b>"A" MISCELLANEOUS</b>			
A5	DPS-3812	BRADFORD PKG., LEAD TAPE REEL, CLASS I,.200 & .400 PITCH. CLIPPED LEADS. CASE SIZE 3-6 & FP69, FP2, FP42	FILM
<b>"B" BULK PACKAGING</b>			
B8	DPS-3812	BRADFORD PKG. STAND-UP STRIP PACK, 1W THRU 10W SIZE. RESISTORS PLACE IN FLUTED STRIPS, INTO CARDBOARD BOXES	FILM
BA1	DPS-3881	BRADFORD BULK PACKAGING. PACKAGE IN BLISTER PACKS IN INCREMENTS OF 100 PCS. 500 PCS. TOTAL PER CARD	FILM
B02	DPS-3433 DPS-3898	BULK PACKAGING, CRC & CRCW CHIP RESISTOR 1000 PC PER PLASTIC BAG, 1% CHIP INDUCTORS TNPW/TNPWM STYLES	FILM
B03	DPS-712	BULK PACKAGING, HL RESISTORS	NETWORKS/JUAREZ
B05	-	INTERPLANT TOTE BOX (EXCLUDE MEXICO TO ISRAEL)	ALL
B12	DPS-3472	BOX PACKAGING, 100/BOX BULK BOX LOADER/COUNTER	WW
B14	DPS-2038 DPS-3881	BULK PACKAGING, STANDARD DPS-3881 FILM/2038 WW. INTERPLANT MEXICO TO ISRAEL	WW/FILM
B16	DPS-3596	BULK PACKAGING, 50 EACH PER COIN ENVELOPE 11.310015.	FILM
B17	DPS-3596	BULK PACKAGING USING WHITE FLUTED PACK CARDBOARD (STIFF)	FILM
B18	DPS-3596	1 EACH PER COIN ENVELOPE MARKED WITH VALUE.	FILM
B19	DPS-3596	1 EACH ROLLED IN BROWN CREPE PAPER, THEN IN WHITE FLEXIBLE FLUTE CARDBOARD	FILM
B20	DPS-3596	BULK PACKAGING, 400 EACH PER 16"X12" PLASTIC BAG, OPEN END	FILM
B21	DPS-3596	BULK PACKAGING, BIG BOX 810256-40	FILM
B22	DPS-3596	BULK PACKAGING, SMALL BOX 810256-38	FILM
B23	DPS-2038	FOR BULK SHIPMENTS OF LVR-3 FROM ISRAEL TO GERMANY ONLY. 500 PCS. IN KRAFT BOX #810256-47. ADD CUSHIONING, PACK IN SHIPPING CONTAINER 81025833. NO PARTIAL BOXES.	WW
B24	DPS-4561	BULK PACKAGE, STANDARD EXCEPT ESD OVERWRAP AND SPECIAL MARKING. LOCKHEED MARTIN FT. WAYNE	FILM
B25	DPS-3812	BULK PACK, ESD PROTECTIVE BAG 810354-00, ESD LABEL 810521-01	FILM
B26	DPS-2038	BULK PACK, SINGLE LAYER ARRANGED AND ORIENTED, CPC(X) STYLE	WW
B27	DPS-3433	BULK PACK, CASSETTE USING CASSETTE 600007-01	FILM
B28	DPS-2038	FOR BULK SHIPMENTS OF LVR-5 FROM ISRAEL TO GERMANY ONLY. 1000 PCS. IN CORRUGATED BOX #810258-35. USE ONE-HALF THE NECESSARY CUSHIONING MATERIAL IN MIDDLE OF BOX, OTHER HALF ON TOP (TWO LAYER BULK). NO PARTIAL BOXES.	WW
B29	DPS-712	BULK PACKAGING FOR HARDWARE ITEMS AND PIECE PARTS. PACKAGING IS OPTIONAL.	WW
B30	DPS-3433	BULK PKG., CRC & CRCW CHIP RESISTORS, 250 PC/PLASTIC BAG, 1% CHIP RES. ONLY	FILM
B31	DPS-2038	BULK PACKAGING, 4 LAYER CP, CPR, CPSL, CPC(X) & CPL STYLE RESISTORS	WW
B32	DPS-2038	BULK PACKAGING, 2 LAYER, CPCC, CPCF, CPCP & CPCL STYLE RESISTORS	WW
B34	DPS-3472	BULK PKG., 100 PER BOX, NOT MORE THAN 10 BOX PER INTERMEDIATE PACK. BULK BOX/LOADER/COUNTER.	WW
B35	DPS-3812	BULK PKG., DRALORIC CHIP RESISTORS FOR RESALE, 1000 PCS IN PLASTIC BOX	FILM
B36	DPS-3812	BULK PKG., DRALORIC CHIP RESISTORS, FOR RESALE, 5000 PCS IN PLASTIC BOX	FILM

B37	DPS-2038	BULK PKG., CP TYPE, 100 PCS PER BOX FOR CP-2M TYPE, 200 PER BOX	WW
B38	DPS-3433	BULK PKG., CRCW CHIP RESISTORS, 100 PCS. PER PLASTIC BAG.	FILM
B39	DPS-3472	BOX PKG., 100 PER BULK BOX, LOADER/COUNTER. PLACE PARTS IN CONDUCTIVE BAG, P/N 810354-00, FOLD OVER, PRIOR TO PLACING IN BOX.	WW
B43	DPS-712	BULK PACKAGE, WW SURFACE MOUNT RESISTORS, PLASTIC BAG	WW
B45	DPS-3812	BULK PKG., BAG 810366, LABEL 810521-01	FILM
B46	DPS-3433	BULK PKG., 50,000 PCS/CASE CHIP RESISTORS	FILM
B49	DPS-2038	ORIENTED FOUR LAYER BULK PACK	WW
B70	DPS-2038 DPS-3881	BULK PACKAGING, STANDARD EXCEPT 50 PIECES PER BOX	WW/FILM
B87	DPS-2038	RANDOM BULK PACKAGING, CLASS 6(LARGE QUANTITY)	WW
<b>"C" CARD AND INSERT PACKAGING</b>			
C3	DPS-3812	BRADFORD PKG. LEAD TAPE & REEL, CLASS 3(2.875" INSIDE TAPE SPACE) .200 PITCH, CLIPPED LEADS.	FILM
C02	DPS-3609	RH CARD PACK	WW
C05	DPS-3609	SAME AS C02 EXCEPT PACKAGE 100 TOTAL PARTS PER BOX.	WW
<b>"D" MAGAZINE PACKAGING</b>			
D02	DPS-20,129	MAGAZINE PACK, PLUGGED DUAL IN-LINE TUBE	NETWORKS
D03	DPS-2966	MAGAZINE PACK, SINGLE IN-LINE TUBE	NETWORKS
D04	DPS-20,129	MAGAZINE PKG., PINNED DUAL IN-LINE TUBE	NETWORKS
D05	DPS-2903	MAGAZINE PKG., DFP/DFM/DFRC.(WAS S08)	NETWORKS
D29	DPS-2550	MAGAZINE PACKAGING, MSP/MSRL PARTS, SIDE-BY-SIDE	NETWORKS
<b>"D" EUROPEAN PACKAGING</b>			
DBN	-	20K REEL BLISTER TAPE	EUROPEAN
DBO	-	10K REEL BLISTER TAPE	EUROPEAN
<b>E PACKAGING CODES FOR LEAD FREE PRODUCTS</b>			
E	DPS-1146	SKIN PACK SAME AS PACKAGING CODE J01 HL PRODUCTS	WW
	DPS-3362	FORAM PACK SAME AS PACKAGING CODE F01 HLW PRODUCTS	WW
	DPS-3353	LEADFREE POLYBAG PKG, ANTISTATIC NETWORKS P05 OR P03	NETWORKS
	DPS-3433	LEADFREE PROD 7 IN. REEL PKG, EMBOSSED CARRIER TAPE, 2000 PCS PMX/CRA12E (CHIPS) SAME AS RB8	CHIPS
	DPS-3353	LEADFREE – PROD- SAME AS P03	NETWORKS
EA	DPS-712	LEADFREE, SAME AS R86 OR RT1 EXCEPT LEAD FREE PARTS	WW
	DPS-20,043	LEADFREE PRODUCT, SAME AS R97	NETWORKS
	DPS-3433	LEADFREE PRODUCT SAME AS RT7	NETWORKS
	DPS-3812	PACKAGE SAME AS R64 EXCEPT PRODUCT IS LEAD FREE	FILM
	DPS-3812	PACKAGE SAME AS R36 EXCEPT PRODUCT IS LEAD FREE	FILM
EB	DPS-712	LEADFREE, SAME AS R79 EXCEPT LEAD FREE PARTS	WW
	DPS-3812	PACKAGE SAME AS RE6 EXCEPT PRODUCT IS LEAD FREE	FILM
EC	DPS-712	LEADFREE, SAME AS RG3 EXCEPT LEAD FREE PARTS	WW
ED	DPS-712	LEADFREE, SAME AS RF1 EXCEPT LEAD FREE PARTS	WW
EE6	DPS-3812	PACKAGE SAME AS RE6 EXCEPT PRODUCT IS LEAD FREE	FILM
EF	DPS-3812	PACKAGE SAME AS A5 OR R36 TAPE SPACING 2-1/16", .200" PITCH, 3000 PIECES PER REEL	FILM
EG6	DPS-20,044	REEL PKG, THERMISTORS, 8MM EMBOSSED PLASTIC PER EIA-481, 500 PCS/REEL. LEAD	-

		FREE PRODUCT B. BENAVIDEZ	
EG7	DPS-20,044	REEL PKG, THERMISTORS, 12MM EMBOSSED PLASTIC PER EIA- 481, 2000 PCS/REEL. LEAD FREE PRODUCT.BENAVIDEZ-	-
EJ	DPS-20,129	LEADFREE PRODUCT MAGAZINE PKG, PLUGGED DUAL IN-LINE TUBE SAME AS D02 DPS-20,129 OR D03 DPS-2966	NETWORKS
EK	DPS-712	LEADFREE PRODUCT, SAME AS B43 EXCEPT LEAD FREE PARTS	FILM
	DPS-3353	LEADFREE PRODUCT POLYBAG PKG, ANTISTATIC SAME AS P03	NETWORKS
	DPS-3881	PACKAGE SAME AS B14 EXCEPT PRODUCT IS LEAD FREE	FILM
E01	DPS-1146	SAME AS PACKAGING CODE J01 FOR RH-100 & -250 AND SIMILAR PRODUCTS	WW
E02	DPS-3609	RH CARD PACK, SAME AS CODE C02	WW
E03	DPS-712	STANDARD LACER PKG. (DPS-712 WW/DPS-3812, FILM)	WW FILM
E04	DPS-20,129	LEAD FREE MAGAZINE PKG, PINNED DUAL INLINE TUBE, ESD SAME AS D04	NETWORKS
E05	DPS-2903	MAGAZINE PKG, DFP/DFM/DFRC. (WAS S08) SAME AS D05	NETWORKS
	DPS-3609	SAME AS CODE CO5, EXCEPT PRODUCT MUST BE LEAD FREE	WW
	-	LEAD FREE VERSION OF B05 INTERNAL INTERPLANT TOTE BOX	ALL
	DPS-712	REEL PACK SAME AS R05 FOR CA PRODUCT UNDER 1.250 LONG	WW
E07	DPS-712	REEL PACK, SAME AS R07, LEAD FREE	WW
E08	DPS-712	REEL PACK, SAME AS R08, LEAD FREE	WW
E10	DPS-3882	FOAM PACK FOR CPR PRODUCT	WW
E12	DPS-3472	BOX, PACK, SAME AS B12	WW
E14	DPS-2038	BOX BULK PACK, SAME AS B14	WW
	DPS-3881	PACKAGE SAME AS B14 EXCEPT PRODUCT IS LEAD FREE	FILM
E15	DPS-712	REEL PACK, SAME AS R15, LEAD FREE	WW
E16	DPS-712	REEL PACK, SAME AS R16, LEAD FREE	WW
E19	DPS-712	REEL PACK, SAME AS R19, LEAD FREE	WW
E20	DPS-712	REEL PACK, SAME AS R20, LEAD FREE	WW
E29	DPS-712	REEL PACK, SAME AS R29, LEAD FREE	WW
	DPS-712	BULK PACKAGING FOR HARDWARE ITEMS AND PIECE PARTS PACKAGING IS OPTIONAL. FOR RoHS COMPLIANT PARTS.	WW
E31	DPS-2038	SAME AS B31, 4 LAYER BULK, BUT DO NOT USE FOR CPC(X) STYLES	WW
E32	DPS-2038	TWO LAYER BULK PACK SAME AS B32 FOR CPC(X) PRODUCT	WW
E36	DPS-712	REEL PACK, SAME AS R36	WW
	DPS-3812	PACKAGE SAME AS R36 EXCEPT PRODUCT IS LEAD FREE	FILM
E48	DPS-712	REEL PACK, SAME AS R48, LEAD FREE	WW
E50	DPS-712	REEL PACK, SAME AS R50	WW
E51	DPS-3487	SAME AS CODE S51 EXCEPT PRODUCT IS LEAD FREE	WW
E55	DPS-712	REEL PACK, SAME AS R55	WW
E64	DPS-712	REEL PACK, SAME AS R64, LEAD FREE	WW
E66	DPS-2038	SAME AS S66 BUT NO RESTRICTION ON PACKAGE QTY	WW
E69	DPS-712	REEL PACK, SAME AS R69	WW
E70	DPS-712	REEL PACK, SAME AS S70	WW
E73	DPS-712	REEL PACK, SAME AS S73	WW
E88	DPS-1438	LEAD FREE TAPE AND REEL PER DPS-1438 IBM 2412436 (REF R88 PKG CODE)	WW

E90	DPS-3129	ONE OR MULTIPLE Pb-FREE/RoHS-COMPLIANT UNITS PER CARDBOARD BOX WITH CUSHIONING, SUPPORTS AND/OR DIVIDERS	PLASMA
		<b>"F" FOAM PACKAGING</b>	
F01	DPS-3362	FOAM PACKAGING - HLW INDIVIDUAL PACKAGING	ELPASO/ JUAREZ
F02	DPS-712/ 3812	STANDARD FOAM PACKAGING	FILM/ WW
F03	DPS-3596	10 EACH ROLLED IN MICROFOAM	FILM
F04	DPS-3844	FOAM PACKAGING USING STYROFOAM BOX WITH LID.	PLASMA
F05	DPS-3596	5 EACH ROLLED DIAGONALLY TO FIT IN MICROFOAM	FILM
F06	DPS-3596	1 EACH ROLLED IN MICROFOAM	FILM
F07	DPS-3596	1 EACH ROLLED IN MICROFOAM, SANDWICHED BETWEEN BROWN CARDBOARD. NOTE: INDIVIDUAL DOUBLE WRAP RJU, RZY. SINGLE WRAP RDX, LAYER BETWEEN CARDBOARD	FILM
F08	DPS-3596	5 EACH ROLLED IN MICROFOAM	FILM
F10	DPS-3882	FOAM PACKAGING. PARTS PLACED INTO SLOTS CUT IN FOAM SEPARATOR.	WW
F11	DPS-3788	CPR PACKAGING USING STYROFOAM STRIPS	COLUMBUS/JUAREZ
F12	DPS-616	CONDUCTIVE FOAM PKG., X0 TYPE, 100/PKG	TEMPE
		<b>"G" CARDBOARD CONTAINERS</b>	
G01	DPS-3129	INDIVIDUAL CARDBOARD BOX PACKAGING WITH CUSHIONING.	PLASMA
G02	DPS-3129	2 OR MORE UNITS PER CARDBOARD BOX, USING CORNER SUPPORTS.	PLASMA
G03	DPS-3129	SIX OR MORE BOXES PALITIZED, AND PLASMA SHRINK WRAPPED.	PLASMA
		<b>"G" BRADFORD SPECIAL PACKAGING</b>	
G1	DPS-4779	REEL PKG, LEAD TAPED FOR BRADFORD ELECTRONICS, FP4,FP5,FP7, FP10	FILM
		<b>"H" HEAT SEAL</b>	
H01	-	HEAT SEAL, 100 UNITS IN 810007-10 BAG	-
		<b>"J" SKIN PACKAGING</b>	
J01	DPS-1146	SKIN PACKAGING PROCEDURE	WW
J03	DPS-2305	SKIN PACKAGING PROCEDURE	FILM
J04	DPS-2165	SKIN PACKAGING, FLAT PACK CARRIER	NETWORKS
		<b>"K" AMMO PACKAGING</b>	
K01	DPS-3916	AMMO PACKAGING, .400 PITCH, 3-3/8 TAPE SPACING, NO LEAD TRIM	WW
K02	DPS-3916	AMMO PACKAGING, .375 PITCH, 2-7/8 TAPE SPACING, NO LEAD TRIM	WW
K03	DPS-3916 DPS-1737	AMMO PACKAGING, .200 PITCH, 2-7/8 TAPE SPACING, NO LEAD TRIM	WW/FILM
K04	DPS-3916 DPS-1737	AMMO PACKAGING, .400 PITCH, 2-7/8 TAPE SPACING, NO LEAD TRIM	WW FILM
K06	DPS-3916	AMMO PACKAGING, .375 PITCH, 2-1/16 TAPE SPACING, NO LEAD TRIM	WW
K07	DPS-3916	AMMO PACKAGING, .200 PITCH, 2-1/16 TAPE SPACING, WITH LEAD TRIM. NO MORE THAN TWO (2) DATE CODES/BOX (REF. K36)	WW
K08	DPS-1737 DPS-3916	AMMO PACKAGING .200 PITCH TAPE SPACING 2-1/16, DO NOT TRIM LEADS	WW FILM
K09	DPS-3916 DPS-1737	AMMO PACKAGING, .400 PITCH, 2-1/16 TAPE SPACING, WITH LEAD TRIM	WW FILM
K10	DPS-3916	AMMO PACKAGING, .400 PITCH, 2-1/2" TAPE SPACING, WITH LEAD TRIM. NO MORE THAN TWO (2) DATE CODES/BOX (REF. K36)	WW
K12	DPS-3916	AMMO PACKAGING, .200 PITCH, 2-1/16 TAPE SPACING, WITH LEAD TRIM FLUSH WITH	WW

		OUTSIDE TAPE ±1/16 TRIM PART CENTERED BETWEEN TAPES WITHIN .040". TADIRAN/NUMAX.407258002000A. (USE BOX 810512-01 WITH 3000-4000 PER BOX DEPENDING ON PART SIZE).	FILM
K13	DPS-3916	AMMO PACKAGING, .400 PITCH, 2-7/8 TAPE SPACING, WITH LEAD TRIM FLUSH WITH OUTSIDE TAPE ±1/16 TRIM PART CENTERED BETWEEN TAPES WITHIN .040". TADIRAN/NUMAX .407258002000A. (USE BOX 810512-27 WITH 1000-3000 PER BOX DEPENDING ON PART SIZE).	WW
K14	DPS-3916	AMMO PACKAGING, .400 PITCH, 2-7/8 TAPE SPACING, WITH LEAD TRIM. (YANKTON BOX 810258-24).	WW
K15	DPS-3916	AMMO PKG., .200 PITCH, 2-1/2 TAPE SPACE, TRIM FLUSH ±1/16, PART CENTERED W/IN. .04, TADIRAN 407258002000A. (USE BOX 810256-27 WITH 3000-4000 PER BOX DEPENDING ON PART SIZE).	WW FILM
K18	DPS-1737 DPS-3916	AMMO PACKAGING, .375 PITCH, 2-1/16 TAPE SPACING, WITH LEAD TRIM	WW FILM
K19	DPS-3740	AMMO PACK, 26MM (1-1/64) TAPE SPACING, .200 PITCH WITH LEAD TRIM & SPECIAL AMMO BOX	FILM
K20	DPS-3740	AMMO PACK, 52MM (2-1/16) TAPE SPACING, .200 PITCH WITH LEAD TRIM & SPECIAL AMMO BOX	FILM
K21	DPS-712	AMMO PKG., .400 PITCH, 3-15/16 INSIDE TAPE SPACING, WITH LEAD TRIM	WW
K22	DPS-3916 DPS-1737	AMMO PACK, 2-1/2" TAPE SPACING, .200 PITCH, WITH LEAD TRIM.	WW FILM
K23	DPS-712	AMMO PACKAGED, EMBOSSED TAPE PLACED INTO BOX. NO LEADER OR TRAILER REQ'D.	WW
K25	DPS-3916	AMMO PKG. .60 PITCH, 2-7/8 TAPE SPACING, W/LEAD TRIM.	WW
K26	DPS-3812 DPS-1737 DPS-3916	AMMO PKG. .200 PITCH, 2-7/8 TAPE SPACE W/LEAD TRIM.	WW FILM
K27	DPS-616	AMMO PKG., T-TYPE, 250/PKG.	TEMPE
K30	-	ORDER USI TPA PACKAGING	NETWORKS
K36	DPS-1737 DPS-3916	AMMO PACKAGING WITH 2-1/16 TAPE SPACING, .200 PITCH, WITH LEAD TRIM	FILM WW
K37	-	EUROPEAN TYPE SK3, US TYPE D41. AMMO PACK, 1000 PIECES PER BOX.	FILM
K38	-	EUROPEAN TYPE NMV0207SI, US TYPE DU4. AMMO PACK, 4000 PIECES PER BOX.	FILM
K39	-	EUROPEAN TYPE LCA0617SI, US TYPE D71. AMMO PACK, 1000 PIECES PER BOX.	FILM
K46	DPS-712	AMMO PACKAGING .375 PITCH, 2-1/2 TAPE SPACING, WITH LEAD TRIM.	WW
K48	DPS-3916	AMMO PACKAGING .400 PITCH, 2-1/2 TAPE SPACING, NO LEAD TRIM.	WW
K50	DPS-3916	AMMO PACKAGING .400 PITCH, 2-1/2 TAPE SPACING, WITH LEAD TRIM.	-
K55	DPS-3812	AMMO PACK, WITH .400 PITCH, 2-7/8 TAPE SPACING, WITH LEAD TRIM.	FILM
K68	DPS-3916	AMMO PACK, .375 PITCH, 2-7/8 TAPE SPACING WITH LEAD TRIM	WW
K69	DPS-3916	AMMO PKG., .400 PITCH, 3-3/8 TAPE SPACE, WITH LEAD TRIM	WW
K81	DPS-3740	AMMO PACK, 26 MM TAPE SPACING PITCH 5MM	FILM
K82	DPS-3740	AMMO PACK, 52 MM TAPE SPACING PITCH 5MM	FILM
K83	DPS-4939	AMMO PACK, 52MM (2-1/16") TAPE SPACING	FILM
		<b>"L" LACER PACKAGING</b>	
L1	DPS-3812	BRADFORD PKG. LEAD TAPE, GENERAL USE, STORED FOR FUTURE HOT TIN DIPPING &/OR FINAL PKG. (SIMILAR TO SPEC 00)	FILM

L01	-	PLACE LACER PACKAGED UNITS IN INTERMEDIATE CONTAINER IN MULTIPLES OF TEN (10) AND MARK.	WW
L02	DPS-3346	LACER PKG., AUTONETICS MIXTURE OF RESISTORS WITH ANTISTATIC BAG	-
L03	DPS-712 DPS-3812	STANDARD LACER PACKAGING	WW FILM
L04	ICP-335	LACER PACKAGING – SPERRY GOOD SAM PROGRAM	FILM
L05	DPS-3596	LACER PACKAGING, STANDARD	FILM
L06	DPS-3812	LACER PACKAGING WITH TRACEABILITY TO DATA PER APPLICABLE TPI	FILM
		<b>"M" MILITARY PACKAGING</b>	
MF9	DPS-3797	BRADFORD MIL PACKAGING PER MIL-R-39032 LEVEL "C" 100 PER BAG. SENSITIVE ELECTRONIC DEVICE CAUTION LABELS ON SHIPPING BOXES (DPS-358)	FILM
M02	DPS-1201	HEAT SEAL – PACKAGING LEVEL "C" MARK PER MIL-STD-129	-
M03	DPS-1201	HEAT SEAL – PACKAGING LEVEL "C" MARK PER MIL-STD-129. ANTISTATIC BAG.	-
M04	-	HEAT SEAL – PACKAGING LEVEL "C" MARK PER MIL-STD-129. 5 EA. PER BAG.	-
M05	-	HEAT SEAL – PACKAGING LEVEL "C" MARK PER MIL-STD-129. 5 EA. PER BAG. ANTISTATIC BAG.	-
M06	-	HEAT SEAL - PACKAGING LEVEL "C" MARK PER MIL-STD-129. PLACE IN SUPPLEMENTAL CONTAINER	-
M07	-	HEAT SEAL - PACKAGING LEVEL "C" MARK PER MIL-STD-129. PLACE IN SUPPLEMENTAL CONTAINER. PLACE IN ANTISTATIC BAG.	-
M08	-	HEAT SEAL - PACKAGING LEVEL "C" MARK PER MIL-STD-129 PLUS SPECIAL BeO WARNING MARKING REQUIRED PER DPS-1460	-
M09	-	HEAT SEAL - PACKAGING LEVEL "C" MARK PER MIL-STD-129 PLUS SPECIAL BeO WARNING MARKING REQUIRED PER DPS-1460. PLACE IN ANTISTATIC BAG.	-
M10	-	HEAT SEAL - PACKAGING LEVEL "C" MARK PER MIL-STD-129. BAR CODE ADDED.	-
M11	-	HEAT SEAL - PACKAGING LEVEL "C" MARK PER MIL-STD-129. BAR CODE ADDED. PLACE IN ANTISTATIC BAG	-
M12	-	HEAT SEAL - PACKAGING LEVEL "C" MARK PER MIL-STD-129. 5 EA. PER BAG. BAR CODE ADDED.	-
M13	-	HEAT SEAL - PACKAGING LEVEL "C" MARK PER MIL-STD-129. 5 EA. PER BAG. BAR CODE ADDED. PLACE IN ANTISTATIC BAG.	-
M14	-	HEAT SEAL - PACKAGING LEVEL "C" MARK PER MIL-STD-129. PLACE IN SUPPLEMENTAL CONTAINER. BAR CODE ADDED.	-
M15	-	HEAT SEAL - PACKAGING LEVEL "C" MARK PER MIL-STD-129. PLACE IN SUPPLEMENTAL CONTAINER. BAR CODE ADDED. PLACE IN ANTISTATIC BAG.	-
M16	-	HEAT SEAL - PACKAGING LEVEL "C" MARK PER MIL-STD-129 PLUS SPECIAL BeO WARNING MARKING REQUIRED PER DPS-1460. BAR CODE ADDED.	-
M17	-	HEAT SEAL – PACKAGING LEVEL "C" MARK PER MIL-STD-129 PLUS SPECIAL BeO WARNING MARKING REQUIRED PER DPS-1460. BAR CODE ADDED. PLACE IN ANTISTATIC BAG.	-
M18	DPS-2280	TRAYED; T03 WITH ESD OVERPACK & LABELING; MAY BE STACKS OF 1, 5, OR 10 TRAYS – WHICHEVER IS MOST ECONOMICAL	FILM
M19	DPS-20,023	ANTI STATIC PKG. IN PINK POLYBAG PER MIL B-81705B, TYPE 2.	NETWORKS
M20	DPS-1201	MIL PKG., HEAT SEAL BAG, LEVEL "C", 1 RES/BAG, 1 PKG/BOX, MARK PER MIL-STD-129, LABEL "RESISTOR KIT, DO NOT SEPARATE".	WW
M21	DPS-1201	HEAT-SEAL, WATER-VAPOR PROOF BAG PER MIL-P-23199C, LEVEL B WITH SPECIAL	WW

		PRECAUTIONARY LABELS.	
M22	DPS-3797	MIL-R-39032 ESD PACK, BULK PACKAGE FOR OEM SHIPMENT MIL-B-81705 TYPE I OVERWRAP. SENSITIVE ELECTRONIC DEVICE CAUTION LABELS ON SHIPPING BOXES (DPS-388)	FILM
M23	DPS-3797	MIL-R-39032 ESD PACK, REEL PACKAGE FOR OEM SHIPMENT WITH .200 PITCH AND 2-1/16 TAPE SPACING, WITH LEAD TRIM. MIL-B-81705 TYPE I OVERWRAP. SENSITIVE ELECTRONIC DEVICE CAUTION LABELS ON SHIPPING BOXES (DPS-388)	FILM
M24	DPS-3797	MIL-R-39032 ESD PACK, REEL PACKAGE FOR OEM SHIPMENT WITH .200 PITCH AND 2-7/8 TAPE SPACING, WITH LEAD TRIM. MIL-B-81705 TYPE I OVERWRAP. SENSITIVE ELECTRONIC DEVICE CAUTION LABELS ON SHIPPING BOXES (DPS-388)	FILM
M26	DPS-1201	MIL PKG. PER MIL-P-116, LEVEL "A" METHOD IC-1 GREASE/WATER/VAPOR PROOF BAG	WW
M27	DPS-1201 DPS-1460	WRAP COMPONENTS WITH 1 REVOLUTION PINK FOAM WRAP. HEAT SEAL PACKAGING, LEVEL "C" – WATER-VAPOR PROOF BAG. MARK PER MIL-STD-129. PLACE IN SUPPLEMENTAL CONTAINER. BAR CODE ADDED.	FILM
M28	-	INDIVIDUAL CARDBOARD BOX PACKAGING. PLACE IN PLASTIC BAG WITH ETHA FOAM PER MIL-STD-129. BAR CODE ADDED	PLASMA
M29	DPS-1201	HEAT SEAL IN WATER PROOF BAG PER MIL-P-23199C, LEVEL B, USE SPECIAL PRECAUTION AND BAR CODE LABEL. PLACE IN SUPPLEMENTAL CONTAINER, LABEL SAME AS UNIT PACKAGE.	FILM/WW
M30	-	WRAP IN KIMPACK OR SMALL BUBBLE PACK. HEAT SEAL IN 810007-19 BAG. LABEL PER MIL-STD-129 AND BAR CODE. PLACE IN BOX 810258-16 BOX. LABEL PER MIL-STD-129 AND BAR CODE. PLACE IN 810258-XX BOX FOR SHIPPING.	WW
M74	DPS-3797	MIL-B-81705 TYPE I ESD PROTECTION, 100 PER BAG (SIMILAR TO MIL-R-39032 LEVEL "C") SENSITIVE ELECTRONIC DEVICE CAUTION LABELS ON SHIPPING BOXES (DPS-388)	FILM
M75	DPS-3797	MIL-B-81705 TYPE I ESD PROTECTION, 1 PER BAG (SIMILAR TO MIL-R-39032 LEVEL "C") SENSITIVE ELECTRONIC DEVICE CAUTION LABELS ON SHIPPING BOXES (DPS-388)	FILM
M76	DPS-3812	HEAT-SEAL MIL-B-81705 TYPE 1 BLACK ANTISTATIC FOIL BAGS.	FILM
M77	DPS-3812	HEAT-SEAL MIL-B-81705 TYPE 1 BLACK ANTISTATIC FOIL BAGS. 1 PCS. PER BAG.	FILM
		<b>"P" PLASTIC PACK, RIGID &amp; NON-RIGID</b>	
P02	DPS-981	MARK WITH HIGH REL LABELS AND LOT NO.(P-200)	WW
P03	DPS-3353	POLYBAG CHIPS, ANTISTATIC	NETWORKS
P04	DPS-3353	POLYBAG, TKR UNCOATED	NETWORKS
P05	DPS-3353	POLYBAG, CSP – CSC	NETWORKS
P06	DPS-3389	THERMISTORS, STANDARD PKG. OF	JUAREZ
P07	DPS-712	TUBE PKG., 26 PARTS/TUBE, USES 810551 TUBE AND 810550 PLUG (OPTIONAL PACK FOR CP-2M)	WW
P08	DPS-2433	PLASTIC BAG PACKAGING PROCEDURE	WW
P13	DPS-3596 DPS-3993	10 EACH MAX. PER ANTISTATIC PLASTIC TUBE	FILM
P14	DPS-3596	50 EACH PER SQUARE PLASTIC VIAL WITH CAP	FILM
P15	DPS-3596	2 EACH PER SQUARE PLASTIC VIAL WITH CAP	FILM
P17		OBSOLETE	
P18	DPS-616	BAG PKG. FOR TRIMMERS, 2"x4" BAG	TRIMMERS
P19	DPS-4050	PLASTIC PACK, ANTI-STATIC POLYBAG, ONE (1) CHIP PER BAG.	FILM
P20	DPS-20,111	THERMISTOR DISCS, STD. PKG. OF, PINK PLASTIC BAG.	THERMISTOR

P23	DPS-4626	BULK PACKAGED 10,000 PCS./BAG; FOR INTERNAL COMPANY USE; NOT SHIPPED TO THE CUSTOMER	FILM
P25	DPS-2041	PLASTIC PACK SINGLE CAVITY, TOPICALLY COATED, WITH TRACEABILITY TO DATA PER APPLICABLE TPI	FILM
P28	DPS-949	OVERPACK, VIAL PACK AFTER BASIC UNIT PACKAGE	WW
P29	DPS-949	OVERPACK, VIAL PACK AFTER BASIC UNIT PKG., WITH LABEL	WW
P65	DPS-2041	PLASTIC PACK TYPE II (P-74) MULTI-CAVITY TOPICALLY COATED	WW/FILM
P66	DPS-2041	PLASTIC PACK TYPE I (P-74) SINGLE CAVITY TOPICALLY COATED	WW/FILM
P67	DPS-2041	PLASTIC PACK MULTI-CAVITY NO TOPICAL COATING (LOCKHEED P-132)	WW/FILM
P68	DPS-2041	PLASTIC PACK SINGLE CAVITY NO TOPICAL COATING (LOCKHEED R-132)	WW/FILM
P72	DPS-3730	PLASTIC PACK, PINK POLY (LOCKHEED P116)	FILM
P83	DPS-3177	DIP CARRIER PACK, ANTISTATIC, MEETS HUGHES 821150, ANTISTATIC	NETWORKS
P93	DPS-2865	DIP CARRIER PACK, MEETS HUGHES 821150	NETWORKS
P99	DPS-4779	BULK PKG., PARTS IN CLEAR PLASTIC BAGS.	FILM
<b>"R" REEL PACKAGING</b>			
RA1	DPS-4120 DPS-712	REEL PKG. EMBOSSED CARRIER TAPE, FOR AT&T, WSC, WSN, WSL, WSR RESISTORS, 19.685" MIN. TRAILER.	WW
RA5	DPS-3812	BRADFORD REEL PACKAGING WITH .200 PITCH, 2-1/16 TAPE SPACING, WITH LEAD TRIM.(SAME AS R36)	FILM
RB2	DPS-327	REEL PKG. 500 PC. PER REEL, RESALE TRIMMER POTENTIOMETER SFERNICE. ST63 SERIES	TEMPE
RB8	DPS-3433	REEL PKG., EMBOSSED CARRIER TAPE, 7" REEL CRA12E/S, CRCA12E/S08 AND CRA12E/S10	NETWORKS
RB9	DPS-3898	REEL PKG., EXTERNALLY ANTISTATIC REELS, UP TO 5000 PCS. PER REEL, EMBOSSED CARRIER TAPE	FILM
RC1	DPS-3812	REEL PKG., .197 (5MM) PITCH, 2.047 ±.040 (52 ±1MM) INSIDE TAPE SPACING (XEROX, UK)	FILM
RC9	DPS-3812	REEL PKG. WITH .200 PITCH, 2-1/16 TAPE SPACE AND LEAD TRIM: R36 EXCEPT USE BAG 810366 AND ESD LABEL 810521-01	FILM
RD1	DPS-3812	REEL PKG., .200 PITCH, 2-1/16 TAPE SPACING WITH LEAD TRIM, WITH BAG 810354-00, PINK BAG AND 810506 CAUTION LABELS	FILM
RD2	DPS-712	REEL PKG. .394" (10MM) PITCH (BLACK COLOR CODED WHEELS), 2-7/8" TAPE SPACE, WITH LEAD TRIM. USE SPECIAL REEL, P.N. 810098-16 WHICH IS MADE FROM REEL FLANGE 810186-03, CORE 810188-20 AND PLUG 810187-06.	WW
RD3	DPS-712	.400 PITCH, 3.6 TAPE SPACE, WITH LEAD TRIM	WW
RD4	DPS-4548	REEL PKG., LEAD TAPE, 3.000" INSIDE TAPE SPACING, .200 PITCH, LEAD CLIP	FILM
RD5	DPS-4549	REEL PKG., LEAD TAPE, 3.075" INSIDE TAPE SPACING, .200 PITCH, LEAD CLIP	FILM
RD6	DPS-3433	REEL PKG., PUNCHED PAPER TAPE, 7" REEL, CRA06E	FILM
RD7	DPS-3433	REEL PKG., EMBOSSED CARRIER TAPE, 13" REEL CRA12E	FILM
RD8	DPS-3433	REEL PKG., PUNCHED PAPER TAPE, 13" REEL, CRA06E	FILM
RD9	DPS-0000	REEL PKG., DRALORIC CHIP RESISTORS, FOR RESALE, 1500 PCS ON 7" REEL	FILM
RE3	DPS-712	REEL PKG., .400 PITCH, 2.8" TAPE SPACE, NO LEAD TRIM, NO MORE THAN 2 REELS PER CONTAINER	WW
RE4	DPS-3812	SAME AS STANDARD R36 REEL PACKAGING EXCEPT THAT THERE CAN BE ANY QUANTITY UP TO A FULL REEL IN MULTIPLES OF 100 PIECES. MINIMUM ON ANY ITEM ORDERED IN 300 PIECES.	FILM



RE5	DPS-3812	STANDARD REEL PACKAGING PLUS SPECIAL INSTRUCTIONS PER DPS-3812. THESE INCLUDE 500 PIECES/REEL & USE OF SMALLEST REEL ALLOWED. LEADS TRIMMED, TAPE SPACING & PITCH VARY WITH MODEL.	FILM
RE6	DPS-3812	STANDARD REEL PACKAGING PLUS SPECIAL INSTRUCTIONS PER DPS-3812. THESE INCLUDE 1000 PIECES/REEL & USE OF SMALLEST REEL ALLOWED. LEADS TRIMMED, TAPE SPACING & PITCH VARY WITH MODEL.	FILM
RE7	DPS-3812	STANDARD REEL PACKAGING PLUS SPECIAL INSTRUCTIONS PER DPS-3812. THESE INCLUDE 1500 PIECES/REEL & USE OF SMALLEST REEL ALLOWED. LEADS TRIMMED, TAPE SPACING & PITCH VARY WITH MODEL.	FILM
RE8	DPS-3812	STANDARD REEL PACKAGING PLUS SPECIAL INSTRUCTIONS PER DPS-3812. THESE INCLUDE 2000 PIECES/REEL & USE OF SMALLEST REEL ALLOWED. LEADS TRIMMED, TAPE SPACING & PITCH VARY WITH MODEL.	FILM
RE9	DPS-3433	REEL PKG., 16MM EMBOSSED CARRIER, 13 INCH REEL, CRA12E16	FILM
RF1	DPS-712 DPS-4611	REEL PACKAGE, EMBOSSED CARRIER TAPE WSL-2512 ON 4 MM PITCH 810542-09	WW
RF3	DPS-712	REEL PKG. PER EIA-481, EXCEPT 1400 PCS./REEL, AND 24" LEADER +3"/-0" (51 PCS. +6/-0 PCS.)	WW
RF4	DPS-3433	50,000 PCS IN PUNCHED PAPER 2mm POCKET PITCH 8mm CARRIER TAPE ON 13" REEL	FILM ISRAEL
RF8	DPS-3812	REEL PKG., .200 PITCH, 2-1/16 TAPE SPACING, WITH LEAD TRIM, 500 PCS. PER REEL.	FILM
RG1	DPS-3898	5000 PCS. ON 7" REEL EMBOSSED 8MM TAPE, 4MM PITCH	FILM
RG2	DPS-3812	REEL PKG., .200 PITCH, 2-7/8 TAPE SPACING, WITH LEAD TRIM, 500 PCS. PER REEL.	FILM
RG3	DPS-712	REEL PKG. PER EIA-481 EXCEPT 13" REELS, EMBOSSED CARRIER TAPE, WSL-2010 16,000 PCS ONLY AND WSL-2512 8,000 PCS ONLY.	WW
RG4	DPS-3812	REEL PKG., .200 PITCH, 2-7/8 TAPE SPACING, WITH LEAD TRIM, 1000 PCS. PER REEL.	FILM
RG5	DPS-3433	REEL PACKAGING CZA (ATTENUATORS) EMBOSSED TAPE 8mm WIDE 4mm PITCH 4000 PIECES 7 INCH REEL	FILM
RG6	DPS-20044	REEL PKG, THERMISTORS, 8MM EMBOSSED PLASTIC PER EIA-481, 5000 PCS/13" REEL, OPTIONAL	JUAREZ
RG7	DPS-20044	REEL PKG, THERMISTORS, 12MM EMBOSSED PLASTIC PER EIA-481, 2000 PCS/7" REEL, NTHS-1012, OPTIONAL	JUAREZ
RG8	DPS-3812	REEL PKG., .200 PITCH, 2-1/16 TAPE SPACING, WITH LEAD TRIM, USE 810521-03 CAUTION LABEL.	FILM
RG9	DPS-3433	REEL PACKAGING PTFT TAPE 8mm WIDE 4mm PITCH 5000 PIECES 7 INCH REEL PLACED IN ANTISTATIC BAG	FILM
RH1	DPS-3812	REEL PKG, .400 PITCH , 2.875 TAPE SPACING, LEAD TRIM, 13 IN. REELS, 500 PIECES PER REEL	FILM
RH2	DPS-3812	REEL PKG, .400 PITCH , 2.875 TAPE SPACING, LEAD TRIM, 13 IN. REELS, 750 PIECES PER REEL	FILM
RH3	DPS-3812	REEL PKG, .400 PITCH , 2.875 TAPE SPACING, LEAD TRIM, 13 IN. REELS, 1000 PIECES PER REEL	FILM
RH4	DPS-3812	SAME AS R19 EXCEPT 1000 PIECES PER REEL	FILM
RH5	DPS-3812	REEL PACKAGING, .200 PITCH, 2-7/8 TAPE SPACING WITH LEAD TRIM, WITH ESD PROTECTIVE BAG 810354-00 AND 810521-01 ESD LABEL	FILM
RH6	DPS-3812	REEL PKG, .200 PITCH , 2.875 TAPE SPACING, LEAD TRIM, 13 IN. REELS, 500 PIECES PER REEL	FILM

RH7	DPS-3812	REEL PKG, .200 PITCH , 2.875 TAPE SPACING, LEAD TRIM, 13 IN. REELS, 750 PIECES PER REEL	FILM
RH8	DPS-3812	REEL PKG, .200 PITCH , 2.875 TAPE SPACING, LEAD TRIM, 13 IN. REELS, 1000 PIECES PER REEL	FILM
RH9	DPS-712	REEL PKG, .200 PITCH , 2-1/16 TAPE SPACING, LEAD TRIM, NO MORE THAN TWO REELS PER CONTAINER	WW
RJ6	DPS-3812	REEL PACKAGING, 2-1/16 INSIDE TAPE SPACING WITH LEAD TRIM, PITCH VARIES, USE ONLY ON NON JAN BRANDED ERC-65/70 OR ERL-32/62 PRODUCT. ASSIGN CODE ONLY WITH SIGNED & APPROVED REVIEW SHEET.	FILM
RJ7	DPS-3812	REEL PKG. .200 PITCH, 2 1/16" TAPE SPACING WITH LEAD TRIM. AND SMALL FLANGE (810318-02)	FILM
RJ8	DPS-3812	REEL PKG. .375 PITCH, 2 1/16" TAPE SPACING WITH LEAD TRIM AND SMALL FLANGE (810318-02)	FILM
RJ9	DPS-4767	REEL PACKAGING; 12MM CARRIER TAPE; 2,000 PIECES PER 7" REEL; WSL2816	WIREWOUND
RT0	DPS-3433	REEL PKG., 4" MINI-REEL, SPECIAL REPACKAGED PRODUCT	WW, FILM, TEMPE NETWORKS,
RT1	DPS-3433 DPS-3898 DPS-712	REEL PKG., CRCW/CRA, TNPW STYLE CHIP RESISTORS; WSL0805 POWER METAL STRIP RESISTORS; 5000 PCS ON 7" REEL, PUNCHED PAPER. (REPLACES R71) IFC0603 AND IFC0805	FILM WW
RT2		OBSOLETE	-
RT3		OBSOLETE	-
RT4	DPS-3487	"13" DIAMETER REEL – 10,000 PIECE MAXIMUM/REEL; -2512 = 5000 PCS. MAXIMUM/REEL	FILM
RT5	DPS-3433	REEL PKG., CHIP RESISTORS, PUNCHED PAPER CARRIER TAPE 10,000 PCS./11.5" REEL. IFC0603 AND IFC0805	FILM
RT6	DPS-3433	REEL PKG., 20,000 PCS, 13" REEL, PUNCHED PAPER TAPE, NORFOLK, CRCW CHIP RESISTORS	FILM
RT7	DPS-3433	REEL PKG., 8MM PUNCHED PAPER CARRIER TAPE, 2MM POCKET PITCH, 10,000 PCS, 7" REEL CHIP RESISTORS CRA04S08	FILM
RT8	DPS-3433	REEL PKG., 12mm EMBOSSED PLASTIC CARRIER TAPE, 13 INCH REEL, 7500 PCS MAX, CRCW-2512	FILM
RT9	DPS-3433	REEL PKG. CRCW1218, 12mm WIDE EMBOSSED CARRIER TAPE, 4mm PITCH, 4000 PCS./7" REEL	FILM
R01	DPS-3487	STANDARD REELED; ONE LOT PER REEL; MAY BE MIXED QUANTITIES/MULTIPLE REELS TO FILL A SINGLE ORDER; 4000 PCS MAXIMUM/REEL EXCEPT –2512 = 2000 PCS. MAXIMUM/REEL	FILM
R02	DPS-3433	REEL PKG., CRCW CHIP RESISTORS, EMBOSSED CARRIER TAPE, 4000 PC REEL 7" (FILM, CONTACT FACTORY) CRCC1206 AND CRCC0805	FILM
R03	DPS-2430	BODY TAPE & REEL, CP PACKAGING(SPECIAL PACKAGING CONTACT FACTORY FOR PRICING)	COLUMBUS/JUAREZ
R04	DPS-1942	REEL PACKAGING, ADD REEL TAPE UNIT QUANTITY MARKING EACH 50 UNITS (HEWLETT-PACKARD)	FILM
R05	DPS-712 DPS-3812 DPS-3596	REEL PACKAGING WITH .200 PITCH AND TAPE SPACING 2-7/8, NO LEAD TRIM	WW/FILM
R06	DPS-712	REEL PACKAGING WITH .375 PITCH AND TAPE SPACING 2-7/8, NO LEAD TRIM	WW
R07	DPS-712	REEL PACKAGING WITH .400 PITCH AND TAPE SPACING 2-7/8, NO LEAD TRIM	WW

	DPS-3812		FILM
R08	DPS-712 DPS-3812	REEL PACKAGING WITH .200 PITCH AND TAPE SPACING 2-1/16, NO LEAD TRIM	WW/FILM
R10	DPS-712	REEL PACKAGING WITH .200 PITCH, 2-7/16 TAPE SPACING, NO LEAD TRIM	WW
R11	DPS-712	REEL PACKAGING WITH .200 PITCH, 2-13/16 TAPE SPACING, NO LEAD TRIM	WW
R12	DPS-712	REEL PACKAGING WITH .375 PITCH, 3-3/8 TAPE SPACING, NO LEAD TRIM	WW
R14	DPS-712	REEL PACKAGING, 2-1/16 TAPE SPACE, .200 PITCH, WITH LEADS TRIMMED FLUSH WITH OUTSIDE TAPE EDGE +0-1/8".	WW
R15	DPS-712 DPS-3812	REEL PACKAGING WITH .400 PITCH, 2-1/16 TAPE SPACING, NO LEAD TRIM	WW FILM
R16	DPS-712 DPS-3812	REEL PACKAGING WITH .400 PITCH, 2-1/16 TAPE SPACING, WITH LEAD TRIM	WW FILM
R17	DPS-712	REEL PACKAGING, .200 PITCH, 3-7/8 TAPE SPACING, NO LEAD TRIM.	WW
R18	DPS-712 DPS-3812	REEL PACKAGING WITH .375 PITCH, 2-1/16 TAPE SPACING, WITH LEAD TRIM	WW FILM
R19	DPS-712 DPS-3812	REEL PACKAGING WITH .200 PITCH, 2-1/2 TAPE SPACING, NO LEAD TRIM	WW/FILM
R20	DPS-712 DPS-3812	REEL PACKAGING WITH .200 PITCH, 2-1/2 TAPE SPACING, WITH LEAD TRIM	WW/FILM
R21	DPS-2050 DPS-712	REEL PACKAGING WITH .200 PITCH, 2-1/16 TAPE SPACING, WITH LEAD TRIM. NO MORE THAN TWO (2) DATE CODES/REEL (REF. R36).	WW/FILM
R22	DPS-712	REEL PACKAGING WITH .375 PITCH, 2-7/16 TAPE SPACING, NO LEAD TRIM	WW
R23	DPS-712	REEL PACKAGING WITH .375 PITCH, 2-7/16 TAPE SPACING, WITH LEAD TRIM	WW
R24	DPS-712	REEL PACKAGING WITH .375 PITCH, 2-9/16 TAPE SPACING, NO LEAD TRIM	WW
R25	DPS-712	REEL PACKAGING WITH .375 PITCH, 2-11/16 TAPE SPACING, NO LEAD TRIM	WW
R26	DPS-712	REEL PACKAGING WITH .375 PITCH, 2-13/16 TAPE SPACING, NO LEAD TRIM	WW
R27	DPS-712	REEL PACKAGING WITH .375 PITCH, 2-11/16 TAPE SPACING, WITH LEAD TRIM	WW
R28	DPS-712 DPS-3812	REEL PACKAGING WITH .200 PITCH AND 3-3/8 TAPE SPACING. NO LEAD TRIM.	WW/FILM
R29	DPS-712	REEL PACKAGING WITH .400 PITCH, 3-3/8 TAPE SPACING, NO LEAD TRIM	WW
R30	DPS-712	REEL PACKAGING, .400 PITCH, 4-3/8 TAPE SPACING, NO TRIM	WW
R31	DPS-3596	REEL PACKAGING, .200 PITCH, 2.425 TAPE SPACING.	FILM
R32	DPS-3596	REEL PACKAGING, .200 PITCH, 2.15 TAPE SPACING.	FILM
R33	DPS-1438	REEL PACKAGING - IBM 873444	FILM
R34	DPS-712	REEL PACKAGING, .375 PITCH, 2-1/16 TAPE SPACING, NO LEAD TRIM	WW
R35	DPS-3596	REEL PACKAGING, .400 PITCH, 2.425 TAPE SPACING.	FILM
R36	DPS-2050 DPS-712 DPS-3812	REEL PACKAGING WITH .200 PITCH, 2-1/16 TAPE SPACING, WITH LEAD TRIM.	WW/FILM
R37	DPS-3512	REEL PACKAGING, .200 PITCH, 2-1/2 TAPE SPACING, .062 LEAD TRIM, WITH SPECIAL UNIT AND SHIPPING BOX MARKING AND ESD LABELS PER HUGHES P5503. BODY LENGTH OVER .5 INCH.	FILM
R38	DPS-3512	REEL PACKAGING, .200 PITCH, 2-1/16 TAPE SPACING, .062 LEAD TRIM, WITH SPECIAL UNIT AND SHIPPING BOX MARKING AND ESD LABELS PER HUGHES P5503. BODY LENGTH UP TO .5 INCH.	FILM

R39	DPS-712	REEL PACKAGING WITH .400 PITCH, 2-1/2 TAPE SPACING, WITH LEAD TRIM. NO MORE THAN TWO (2) DATE CODES/REEL.	WW
R40	DPS-712	REEL PACKAGING, .400 PITCH, 3.8 TAPE SPACING, NO LEAD TRIM, NO MORE THAN TWO (2) REELS/CONTAINER.	WW
R41	DPS-2158	REEL PACKAGING, .200 PITCH, 2-1/16 TAPE SPACING, .062 LEAD TRIM, WITH SPECIAL UNIT AND SHIPPING BOX MARKING PER HUGHES P5501. BODY LENGTH UP TO .5 INCH.	FILM
R42	DPS-2158	REEL PACKAGING, .200 PITCH, 2-1/2 TAPE SPACING, .062 LEAD TRIM, WITH SPECIAL UNIT AND SHIPPING BOX MARKING PER HUGHES P5501. BODY LENGTH OVER .5 INCH.	FILM
R43	DPS-712	REEL PACKAGING WITH .200 PITCH, 2-9/16 TAPE SPACING, NO LEAD TRIM	WW
R44	DPS-712	REEL PACKAGING, .400 PITCH, 2-7/8 TAPE SPACING, W/LEAD TRIM. NO MORE THAN TWO (2) REELS/CONTAINER. (REF. R07)	WW
R45	DPS-712	REEL PACKAGING WITH .375 PITCH, 2-1/2 TAPE SPACING, NO LEAD TRIM	WW
R46	DPS-712	REEL PACKAGING WITH .375 PITCH, 2-1/2 TAPE SPACING, WITH LEAD TRIM	WW
R47	DPS-712	REEL PACKAGING, .200 PITCH, 2-1/2 TAPE SPACING, W/LEAD TRIM. NO MORE THAN TWO (2) REELS/CONTAINER. (REF. R19)	WW
R48	DPS-712 DPS-3812	REEL PACKAGING WITH .400 PITCH, 2-1/2 TAPE SPACING, NO LEAD TRIM	WW/FILM
R49	DPS-712	REEL PACKAGING, .400 PITCH 2-1/16 TAPE SPACE, WITH LEADS TRIMMED FLUSH WITH OUTSIDE TAPE EDGE +0"-1/8". HUGHES P5501.	WW
R50	DPS-712 DPS-3812	REEL PACKAGING WITH .400 PITCH, 2-1/2 TAPE SPACING, WITH LEAD TRIM	WW/FILM
R51	DPS-712	REEL PACKAGING WITH .375 PITCH, 3-3/8 TAPE SPACING, WITH LEAD TRIM	WW
R52	DPS-3433	REEL PKG. PER EIA-481, TNPW-0402 & CRCW1210 AND SMALLER USE PAPER CARRIER TAPE. LARGER THAN CRCW1210 USE EMBOSSED CARRIER TAPE. CRA06E/S USE PAPER CARRIER TAPE AND CRA12E/S USE EMBOSSED TAPE. 1000 PCS./7" REEL	FILM
R53	DPS-3812	REEL PKG. WITH .200 PITCH, 2-1/2 TAPE SPACE AND LEAD TRIM: R20 EXCEPT USE BAG 810366 AND ESD LABEL 810521-01	FILM
R54	DPS-3812	REEL PKG WITH .200 PITCH, 2-7/8 TAPE SPACE AND LEAD TRIM: R64 EXCEPT USE BAG 810366 AND ESD LABEL 810521-01	FILM
R55	DPS-712 DPS-3812	REEL PACKAGING WITH .400 PITCH, 2-7/8 TAPE SPACING, WITH LEAD TRIM	WW FILM
R56	DPS-3433	CRCW1218 10,000 PCS ON 13" REEL, 12MM EMBOSSED CARRIER TAPE, 4MM PITCH	FILM
R57	DPS-712	REEL PKG., .600 PITCH, 3-3/8 TAPE SPACE, WITH LEAD TRIM.	WW
R58	DPS-20044	REEL PKG., THERMISTORS, 8 MM EMBOSSED PLASTIC PER EIA-481, 2000 PCS/7" REEL	JUAREZ
R59	DPS-2240	REEL PACKAGING WITH GOLD LEADS, LEAD TRIM TO OVERALL LENGTH OF 3-1/4, TAPE SPACING 2-9/16	WW
R60	DPS-20043	REEL PKG., SOMC TAPE AND REEL WITH IBM LABEL.	NETWORKS
R61	DPS-20043	REEL PKG., TAPE & REEL MIN. ORDER QTY: SOJC=1250 PCS; SOGC=1500 PCS; SOGRC=1500 PCS; SOMC=2000 PCS.	NETWORKS
R62	DPS-3812	REEL PACKAGING, .200 PITCH, 2-1/16 TAPE SPACING, WITH LEAD TRIM, 2500 PIECES/REEL, REQUIRES LARGE REEL	FILM
R63	DPS-712	REEL PACKAGING WITH .200 PITCH, 2-7/16 TAPE SPACING, WITH LEAD TRIM WITHIN .062 OF TAPE	WW
R64	DPS-712 DPS-3812	REEL PACKAGING WITH .200 PITCH, 2-7/8 TAPE SPACING, WITH LEAD TRIM	WW FILM
R65	DPS-3433	REEL PACKAGING OF CRCW CHIP RESISTORS, IN EMBOSSED CARRIER TAPE, ON 13"	FILM

		10,000 PIECE REEL	
R66	DPS-5109	REEL PKG, LEAD TAPE, 3.075 INSIDE TAPE SPACING, .400 PITCH LEAD CLIP	FILM
R67	DPS-3433	REEL PACKAGING, CHIP RESISTORS, EMBOSSED CARRIER TAPE, 2000 PIECE REEL, 7".	FILM
R68	DPS-712	REEL PACKAGING WITH .375 PITCH, 2-7/8 TAPE SPACING, WITH LEAD TRIM	WW/FILM
R69	DPS-712	REEL PACKAGING WITH .400 PITCH, 3-3/8 TAPE SPACING, WITH LEAD TRIM	WW
R70	DPS-3433	REEL PACKAGING, CRCW CHIP RESISTORS, 5000 PIECES ON 7" REEL, PUNCHED PLASTIC CARRIER TAPE (SEE RT2)	FILM
R71	DPS-3433	REEL PACKAGING, CRCW CHIP RESISTORS 5000 PIECES ON 7" REEL, PUNCHED PAPER (SEE RT1).	FILM
R72	DPS-712	REEL PKG., .600 PITCH, 2-7/8 TAPE SPACING, WITH LEAD TRIM.	WW
R74	DPS-3955	REEL PKG., EUROFORM RADIAL PKG., VENDOR SUPPLIED FROM REELED STOCK PER DPS-3955.	FILM
R75	DPS-3898	REEL PKG., TNPW, CHIP RESISTORS, 1000 PC. 7" REEL, EMBOSSED PLASTIC CARRIER TAPE	THIN FILM
R76	DPS-712	REEL PKG., .200 PITCH, 2" TAPE SPACING, WITH LEAD TRIM.	WW
R77	DPS-712	REEL PKG., .375 PITCH, 2" TAPE SPACING, WITH LEAD TRIM.	WW
R78	DPS-3487	REELED; R01 WITH ESD OVERPACK & LABELING; MAY BE MIXED QUANTITIES/MULTIPLE REELS TO FILL A SINGLE ORDER	FILM
R79	DPS-712	REEL PKG. PER EIA-481, EMBOSSED CARRIER TAPE, (PUNCHED PAPER, WSL0805) WSL - 7" REEL; WSC/WSF/WSR - 13" REEL. 1000 PCS./ REEL. DISTRIBUTORS ONLY.	WW
R80	-	REEL PACKAGING 26MM (1.02") TAPE SPACING, 5MM (.196") LEAD SPACING (PITCH)	FILM
R81	DPS-712	REEL PKG., PITCH .400, TAPE SPACE 2-7/16 WITH LEAD TRIM, PLACE REEL IN ANTISTATIC BAG 810366-01.	WW
R82	DPS-3433	REEL PKG., 4MM PITCH, 12MM EMBOSSED TAPE, CRCW2512, CRA12E10 & CRA12S10, 4000 PCS. PER 7" REEL, P/N 810542-09	FILM
R83	DPS-712	REEL PKG., .400 PITCH, 3-15/16 INSIDE TAPE SPACING, WITH LEAD TRIM	WW
R84	DPS-20,120	REEL PKG. EMBOSSED CARRIER TAPE-COMPAQ	NETWORKS
R85	DPS-20,044	REEL PKG. THERMISTORS, 12MM EMBOSSED PLASTIC PER EIA-481, 5000 PCS./13' REEL, NTHS-1012 ONLY	JUAREZ
R86	DPS-712	REEL PKG. PER EIA-481, EMBOSSED CARRIER TAPE, WW SURFACE MOUNT RESISTORS	WW
R87	DPS-3487	REEL PKG., CHIP RESISTORS, ANTISTATIC BAG ESD LABEL, 7" REEL	FILM
R88	DPS-1438	TAPE & REEL, PER DPS-1438, IBM-2412436	WW
R89	DPS-712	REEL PACKAGING WITH .200 PITCH, 2-11/16 TAPE SPACING, NO LEAD TRIM	WW
R90	DPS-712	REEL PACKAGING WITH .200 PITCH, 2-11/16 TAPE SPACING, WITH LEAD TRIM	WW
R93	DPS-3812	REEL PKG., WITH .200 PITCH, 2-1/16 TAPE SPACING WITH LEAD TRIM. INCLUDE 810552-01 ANTI OXIDATION PAPER. ENCLOSE IN 810354-00 ESD PROTECTIVE BAG AND SEAL WITH TAPE. BAR CODE REQUIRED ON REEL, BAG, & SHIPPING BOX. TADIRAN 407258020000A REQUIRES SMALLEST REEL ALLOWED	FILM
R97	DPS-20,043	REEL PKG., 24MM, DRY PACK TAPE & REEL, MIN. ORDER QTY: SOJC=1250, SOGC=1500, SOGRC=1500, SOMC=2000 PCS.	NETWORKS

**"S" SPECIAL PACKAGING, DALE & CUSTOMER INSTRUCTIONS:**

1. ASSIGN AN "S" CATEGORY WHEN THE PACKAGING DOES NOT FALL INTO ANY EXISTING CATEGORY, OR, WHEN NO DPS EXISTS.
2. IF THE PACKAGING IS FOR ONE CUSTOMER, ASSIGN AN "S" CODE.

S01	DPS-1200	AUTONETICS SPECIAL PACKAGING PER AA0616-008	-
S02	DPS-731	AUTONETICS SPECIAL COMMERCIAL PACKAGING	-
S03	DPS-2864	PACKAGING PER HUGHES 821100, 821156SDP, MDP, DFP	NETWORKS
S04	-	SKIN PACK WITH MARKING VISIBLE, CUT INTO INDIVIDUAL CARDS, SEAL IN INDIVIDUAL PLASTIC BAGS PER LOCKHEED SPEC. P19D	WW
S05	DPS-1759	TEKTRONIX SPECIAL BODY TAPE CARD PACK	-
S06	DPS-1250	THIOKOL SPECIAL SPR-207 PACKAGING	-
S07	DPS-2866	MAGAZINE PACKAGING, DFP, HUGHES 821152	NETWORKS
S08	DPS-2903	CONVERTED TO D05	
S09	DPS-2050 DPS-712	REEL PACKAGING, .200 PITCH 2-1/16" TAPE SPACING, WITH LEAD TRIM. USE NO STAPLES OR CLIPS FOR SPLICING. SPLICES SHALL OVERLAP BETWEEN 4 AND 6". MIN. OF 12" OF LEADER TAPE AND ONE LAYER OF CORRUGATED PAPER TO BE WOUND AROUND COMPONENTS. LEAD TRIM WITHIN .031" OF TAPE EDGE. (KEITHLEY)	WW/FILM
S10	DPS-20,129	MAGAZINE PACK, DUAL IN-LINE TUBE. 19" LONG.	NETWORKS
S11	DPS-3190	FLAT PACK AND DUAL-IN-LINE PACKAGING, PER RAYTHEON PIV-2001	NETWORKS
S12	DPS-3512	SPECIAL REEL PACKAGING WITH ANTISTATIC LABEL, HUGHES AIRCRAFT	
S13	DPS-20,023	ANTISTATIC OVERPACK (NETWORKS) 5 TUBES PER MIL-B-81705B, TYPE 1, & MIL-R-39032, PARA. 3.1.4	NETWORKS
S14	DPS-20,023	ANTISTATIC OVERPACK (NETWORKS) 1 TUBE PER MIL-B-81705B, TYPE 1, & MIL-R-39032, PARA. 3.1.4	NETWORKS
S15	DPS-20,008	ANTISTATIC (NETWORKS) INDIVIDUAL UNIT PACKAGING, DUAL-IN-LINE 14 & 16 PIN	NETWORKS
S16		REEL PACKAGING, .200 PITCH, 2-13/16 TAPE SPACING, TRIM LEADS WITHIN .062" OF TAPE. USE NO STAPLES FOR SPLICING. BRASS METAL CLIPS ARE ACCEPTABLE WITH TABS BENT OVER FLAT AGAINST THE TAPE. ADVACOM FOR G.E.	-
S17	-	REEL PACKAGING, .200 PITCH, 2-1/2" TAPE SPACING, NO LEAD TRIM, NO STAPLES OR SPLICING CLIPS. HONEYWELL.	-
S18	-	REEL PACKAGING, .200 PITCH, 2-1/16 TAPE SPACING, WITH LEAD TRIM, ONE DATE PER REEL. THE ENTIRE REEL MUST BE FILLED WITH COMPONENTS OR FILLER MATERIAL. GTE AUTO ELECTRIC	-
S19	-	REEL PACKAGING, .200 PITCH, 2-1/16 TAPE SPACING, WITH LEAD TRIM, NO STAPLES OR SPLICING CLIPS. GENERAL DATACOMM.	-
S20	DPS-3812	REEL PACKAGING, .200 PITCH, 2-1/16 TAPE SPACING, WITH LEAD TRIM, BAG 810354 AND LABEL 810521-01. (FIRST USE HONEYWELL)	FILM
S21	-	REEL PACKAGING, .200 PITCH, 2-7/8 TAPE SPACING, .062 LEAD TRIM FOR QTY. 500 AND GREATER. AMMO PACKAGING .200 PITCH, 2-7/8 TAPE SPACING, .062 LEAD TRIM FOR QTY. BELOW 500. LENKURT	-

S22	-	REEL PACKAGING, .200 PITCH, 2-1/16 TAPE SPACING, .062 LEAD TRIM. NO MORE THAN (TWO) 2 DATE CODES/REEL. DIGITAL EQUIPMENT	-
S23	-	REEL PACKAGING, .400 PITCH, 2-1/2-TAPE SPACING, .062 LEAD TRIM. NO MORE THAN (TWO) 2 DATE CODES/REEL. DIGITAL EQUIPMENT	-
S24	-	REEL PACKAGING, .200 PITCH, 2-1/16-TAPE SPACING, WITH LEAD TRIM, CUSTOMER PART NUMBER AND PACKAGING DATE ON CONTAINER. COMDIAL	-
S25	DPS-20,023	SHIPPING CONTAINER LABELED WITH "STATIC SENSITIVE DEVICES" LABEL	NETWORKS
S26	DPS-20,023	SHIPPING CONTAINER LABELED WITH "STATIC SENSITIVE DEVICES" LABEL	NETWORKS
S27	-	SAMPLE PACKAGING - BEST METHOD	-
S28	DPS-2966	MAGAZINE TUBE PACKAGING FOR MOLDED SIP. APPLE COMPUTER INC.	NETWORKS
S29	DPS-3596	1 EACH PER SMALL SEALED PLASTIC BAG, 6" X 4" NORDSEN ELECTRONICS/BINKS	FILM
S30	DPS-20,011	ANTISTATIC SINGULAR PLASTIC BOX PKG.	NETWORKS
S31	-	CREDIT ORDER. ANY MISC. ORDER. NO PKG. APPLIES. DUMMY CODE FOR DATA PROCESSING	-
S32	DPS-2050 DPS-712	REEL PACKAGING, .200 PITCH, 2-1/16" TAPE SPACING, WITH LEAD TRIM. ENCLOSE REEL IN BLACK ANTISTATIC BAG 810366-00 (FOXBORO)	WW/FILM
S33	DPS-2050 DPS-712	REEL PACKAGING, .200 PITCH, 2-1/16" TAPE SPACING, WITH LEAD TRIM. ENCLOSE REEL IN 810354-00 PINK ANTISTATIC BAG AND USE 810521-01 CAUTION LABEL. NO MORE THAN TWO (2) DATE CODE/REEL. (HUGHES)	WW/FILM
S34	DPS-2050 DPS-712	REEL PACKAGING, .200 PITCH, 2-7/8" TAPE SPACING, NO LEAD TRIM. ENCLOSE REEL IN 810354-00 PINK ANTISTATIC BAG AND USE 810521-01 CAUTION LABEL. NO MORE THAN TWO (2) DATE CODE/REEL. (HUGHES)	WW/FILM
S35	DPS-2050 DPS-712	REEL PACKAGING, .200 PITCH, 2-1/16" TAPE SPACING, WITH LEAD TRIM. NO METAL CLIPS ARE ALLOWED. (HEATH)	WW/FILM
S36	-	END PLUG INSERT, TUBE PKG., ROCKWELL	NETWORKS
S37	DPS-2653	SPECIAL PACKAGING OF MDP/MDM PARTS PER HONEYWELL SPEC. S.O.D. 3319-4	NETWORKS
S38	DPS-712	REEL PKG., .400 PITCH, 2.6 TAPE SPACE, WITH LEAD TRIM PER, NORTHERN TELECOM MVCO-1985. USE REEL 810098-12, BOX 810258-58 (14 INCH REEL)	WW
S39	DPS-712	BULK PKG. PER TPI-9845, PARA. 4.1 THRU 4.1.9 FOR STORAGE TECHNOLOGY.	WW
S40	DPS-20,129	MAGAZINE TUBE PACKAGING FOR SOMC PRODUCT FOR "INTEL"	NETWORKS
S41	DPS-1825	ANTI-TARNISH WRAP PER DPS-1825 AND HEAT SEAL PER RAYTHEON PIV-1000	WW
S42	DPS-712	REEL PKG. WITH .400 PITCH, 3.7 TAPE SPACE, WITH LEAD TRIM PER NORTHERN TELECOM MVCO-1984. USE REEL 810098-13, BOX 810258-58 USE TWO FULL LAYERS CUSHIONING MATERIAL AROUND THESE 14" REELS.	WW
S43	DPS-20,135	PKG. TUBES, SPECIAL BUNDLING OF, NETWORKS	NETWORKS
S44	DPS-712	REEL PACK, .200" PITCH, 2-1/16", +1/16", -0" TAPE SPACING, WITH LEAD TRIM. (MOTOROLA)	WW
S45	DPS-712	REEL PACK, .400" PITCH, 2-1/16", +1/16", -0" TAPE SPACING, WITH LEAD TRIM (MOTOROLA)	WW
S46	DPS-20,149	RIGID TUBE PKG., CSC2 PKG. FOR IBM, END TO END TUBE CARRIER CIRCUITS	NETWORKS

S47	DPS-712	REEL PKG., .400 PITCH, 4" TAPE SPACE, W/LEAD TRIM, NORTHERN TELECOM #MVCO-1983, REEL 810098-13, BOX 810258-58, 2 FULL LAYERS CUSHIONING MAT'L AROUND 14" REELS.	WW
S48	DPS-20,155	REEL PKG., SOMC TYPE, SPECIAL MARKING AND INSPECTION, YANGTEC.	NETWORKS
S49	-	BAR CODE LABELING FOR HWELETT-PACKARD, (A-5951-1563-1) LABEL NO. 36.320828	NETWORKS
S50	-	SPECIAL HANDWRITTEN INSTRUCTIONS ON THE PRODUCTION ORDER CARD EXCEPT EXCLUDE SURFACE MOUNTED PRODUCT: CRCW, CRA, IFC, & ILS	ALL
S51	DPS-3487	INSTRUCTIONS IN THE TPI; MULTIPLE VARIATIONS	ALL
S52	DPS-3472	BULK PKG., PLACE PARTS IN PINK POLYBAG 810354-00, THEN PLACED IN BOX 810256-00. WIREWOUND CUSTOMER SPECIAL PKG.	WW
S53	DPS-3797	FOIL BAG PACKAGING FOR NON-ESD RESISTORS, FILM 100 PER BAG (SAME AS M74 WITH NO CAUTION LABELS). MEETS GE MORRISTOWN REQUIREMENTS FOR NON-SULFUR PACKAGING	-
S54	DPS-712	AT & T PKG. PER R05 EXCEPT ONLY ONE (1) SPLICE PER 200 PARTS ALLOWED.	WW
S55	DPS-712	AT & T PKG. PER R64 EXCEPT ONLY ONE (1) SPLICE PER 200 PARTS ALLOWED.	WW
S56	DPS-712	AT & T PKG. PER R55 EXCEPT ONLY ONE (1) SPLICE PER 200 PARTS ALLOWED.	WW
S57	DPS-712	AT & T PKG. PER R69 EXCEPT ONLY ONE (1) SPLICE PER 200 PARTS ALLOWED.	WW
S58	DPS-4284	REEL PKG., APPLE COMPUTER, PLACED IN MOISTURE-VAPOR BARRIER BAG.	NETWORKS
S59	DPS-327	STANDARD LACER PACKAGE (LO3). PLACE IN ESD BAG 810366-00.	WW
S60	DPS-327	PACKAGE PER TPI (S51). PLACE IN ESD BAG 810366-00.	WW
S62	DPS-712	REEL PACKAGE, .600 PITCH 3-3/8 TAPE SPACE, WITH LEAD TRIM, ONLY ONE SPLICE PER 200 COMPONENTS (AT&T)	WW
S63	DPS-712	REEL PACKAGE, 400 PITCH 2-1/16 TAPE SPACE WITH LEAD TRIM. ONLY ONE (1) TAPE SPLICE PER 200 COMPONENTS. FOR AT&T	WW
S64		REEL PKG., RAYTHEON RQAP620	FILM
S65	DPS-4647	REEL PKG., EMBOSSSED CARRIER TAPE, 810542-08, WSL TYPE, SONY	WW
S66	DPS-2038	SHIP IN SAME COUNT BOX SUPPLIED BY VENDOR. COVER BOX LABEL WITH LABEL FROM PRODUCTION CARD.	WW
S67	DPS-712	REEL PKG., STD. PKG. EXCEPT ADJUST TAPE SPACE TO COVER THE ENDS OF LEADS, DO NOT TRIM LEADS	WW
S68	DPS-4756	TRANSPORT PACKAGING OF RESISTORS FROM ISRAEL TO BRADFORD REEL/AMMO PACK CONFIGURATION, Y-TAPE SPACING	FILM



S70	DPS-712	STANDARD REEL PACKAGE EXCEPT 1000 PIECES PER REEL FOR PARTS SMALLER THAN RS-5 AND 500 PER REEL FOR RS-5 AND LARGER	WW
S71	DPS-2038	SIMILAR TO B31 (FOUR LAYER BULK) EXCEPT USE SMALL BUBBLE PACK (P/N 810599-02) CUSHIONING. PLACE 500 PIECES OF CPC(X)-3 OR -5, OR 150 PIECES OF CPC(X)-10, IN BOX (P/N 810258-34).	WW
S72	DPS-712	AT&T PACKAGING PER R36 EXCEPT ONLY 1 SPLICE PER 200 PARTS ALLOWED	WW
S73	DPS-712	STANDARD REEL PACKAGE EXCEPT 500 PIECES PER REEL	WW
S74	DPS-712	STANDARD REEL PACKAGE EXCEPT 2000 PIECES PER REEL FOR PARTS RS-1A AND SMALLER	WW
S75	DPS-712	REEL PACKAGE, .400 PITCH, 2-1/16 TAPE SPACE, WITH LEAD TRIM, ONLY ONE TAPE SPLICE PER 200 COMPONENTS. PLACE REEL IN PINK ANTI-STATIC BAG. 810354-03	WW
S76	DPS-3487	300 PIECES/REEL; R78 (REELED + ESD)	FILM
S77	DPS-3487	500 PIECES/REEL; R78 (REELED + ESD)	FILM
S78	DPS-3487	1000 PIECES/REEL; R78 (REELED + ESD)	FILM
S79	DPS-3487	2000 PIECES/REEL; R78 (REELED + ESD)	FILM
S80	DPS-3487	4000 PIECES/REEL; R78 (REELED + ESD)	FILM
S81	DPS-3487	R78 EXCEPT UP TO 3 LOTS OR DATE CODES PER REEL	FILM
S82	DPS-3487	300 PIECES/REEL; R01	FILM
S83	DPS-3487	500 PIECES/REEL; R01	FILM
S84	DPS-3487	1000 PIECES/REEL; R01	FILM
S85	DPS-3487	2000 PIECES/REEL; R01	FILM
S86	DPS-3487	4000 PIECES/REEL; R01	FILM
S87	DPS-3487	R01 EXCEPT 18 INCH LEADER & 48 INCH TRAILER	FILM
S89	DPS-3898	100 PIECES IN BAG	FILM
S90	DPS-20,023	ANTI STATIC OVERPACK (NETWORKS) 1 REEL PER MIL-B-81705 TYPE 1 & MIL-R39032	NETWORKS
		<b>"T" TRAY PACKAGING</b>	

T01	DPS-3129	PLASMA DISPLAY, BOX PACKAGING OF	PLASMA
T03	DPS-2280	STANDARD TRAYED; MAY BE IN STACKS OF 1, 5, OR 10 TRAYS AND PARTIALLY FULL TRAYS – WHICHEVER IS MOST ECONOMICAL	FILM
T05	DPS-3898	TRAY PKG. THIN FILM CHIP RESISTORS	FILM
T06	DPS-20,042	TRAY PKG. THERMISTORS/HYBRIDS	JUAREZ
T09	DPS-4073	TRAY PKG., HUGHES AIRCRAFT SPECIAL PACKAGING PER 821172. PART ORIENTATION, CAUTION LABEL, ESD LABEL	FILM
T12	DPS-4621	TRAY PKG., NETWORKS	JUAREZ
T15	DPS-2280	1 TRAY/STACK; M18 LABELING & OVERPACK (1 TRAY + ESD)	CHIPS
T16	DPS-2280	1 TRAY/STACK; T03 MATERIALS AND LABELING	CHIPS