



The DNA of tech.™



# Surface-Mount Molded Tantalum Capacitor Lead Times Continue to Improve

As a result of productivity improvements and better raw material availability, we've been able to further reduce lead times for our surface-mount molded tantalum capacitors. Available in a variety of case sizes, capacitance values, and voltages, the devices are offered in commercial, automotive, and specialty application versions.

The reference table below highlights lead times by product series:

Series	Lead Time in Weeks*
293D, 593D, TR3, TP3, TH3	17 to 22
T83, TM3, CWR11	17 to 28

\*Lead time listed does not include transit time

## Useful Product Information Links

- [Standard Industrial Grade: 293D](#)
- [Legacy Low ESR: 593D](#)
- [Low ESR: TR3](#)
- [Automotive Grade: TP3](#)
- [High Temperature: TH3](#)
- [High Reliability: T83](#)
- [Medical Equipment Grade: TM3](#)
- [Military Qualified: CWR11](#)

## Contact Information

### The Americas

**David Bellomy**  
[david.bellomy@vishay.com](mailto:david.bellomy@vishay.com)

### Europe

**Thomas Poesnecker**  
[thomas.poesnecker@vishay.com](mailto:thomas.poesnecker@vishay.com)

### Asia / Pacific

**BH Tan**  
[boonhooi.tan@vishay.com](mailto:boonhooi.tan@vishay.com)